

中華民國輸入植物或植物產品檢疫規定部分規定 修正規定

甲、禁止輸入之植物或植物產品

依據：植物防疫檢疫法第十四條第一項第一款規定。

一、禁止輸入之植物或植物產品之名稱及其部位、國家或地區、禁止原因如下表：

植物名稱及其部位	國家或地區	禁止原因（病蟲害名稱）
32. 下列植物生植株之全部、部分（種子除外）： (1) 番椒（ <i>Capsicum annuum</i> ） (2) 菸草（ <i>Nicotiana tabacum</i> ） (3) 茄子（ <i>Solanum melongena</i> ）	亞洲及太平洋地區 (1) 亞美尼亞 (2) 澳大利亞 (3) 亞塞拜然 (4) 白俄羅斯 (5) 喬治亞 (6) 伊朗 (7) 伊拉克 (8) 以色列 (9) 約旦 (10) 哈薩克 (11) 吉爾吉斯 (12) 黎巴嫩 (13) 摩爾多瓦 (14) 緬甸 (15) 巴勒斯坦 (16) 俄羅斯聯邦 (17) 敘利亞 (18) 塔吉克 (19) 土耳其 (20) 土庫曼 (21) 烏克蘭 (22) 烏茲別克 (23) 葉門共和國 非洲 (24) 阿爾及利亞 (25) 埃及 (26) 利比亞 (27) 摩洛哥 (28) 留尼旺島(法屬) (29) 突尼西亞 歐洲 (30) 歐洲各個國家、地區 (荷蘭除外) 北美 (31) 加拿大 (卑詩省除外) (32) 美國 中南美	菸草露菌病 （ <i>Peronospora tabacina</i> Adam.）

	(33) 安地卡及巴布達 (34) 阿根廷 (35) 巴哈馬 (36) 巴貝多 (37) 貝里斯 (38) 巴西 (39) 智利 (40) 哥倫比亞 (41) 哥斯大黎加 (42) 古巴 (43) 多米尼克 (44) 多明尼加 (45) 薩爾瓦多 (46) 格瑞那達 (47) 瓜地馬拉 (48) 海地 (49) 宏都拉斯 (50) 牙買加 (51) 墨西哥 (52) 尼加拉瓜 (53) 巴拿馬 (54) 波多黎各 (55) 聖克里斯多福 (56) 聖露西亞 (57) 聖文森及格瑞那丁 (58) 千里達及托巴哥 (59) 烏拉圭 (60) 委內瑞拉	
--	---	--

乙、有條件輸入植物或植物產品之檢疫條件

依據：植物防疫檢疫法第十四條第一項第二款、第三款規定。

一、植物或植物產品之名稱及其部位、國家或地區及其輸入檢疫條件如下表：

植物名稱及其部位	國家或地區	病蟲害名稱	檢疫條件
37.植物名稱及其部位 I. 下列繁殖用生植株 (種子除外)： (1)黃秋葵 (<i>Abelmoschus</i> <i>esculentus</i> = <i>Hibiscus</i> <i>esculentus</i>) (2)烏頭屬 (<i>Aconitum</i> spp.) (3)臺灣羊桃 (<i>Actinidia</i> <i>chinensis</i>)	亞洲及太平洋地區 (1)阿富汗 (2)亞塞拜然 (3)澳大利亞 (4)孟加拉 (5)白俄羅斯 (6)中國大陸 (7)喬治亞 (8)印度 (9)伊朗 (10) 以色列 (11) 日本	梨花枯病 (<i>Pseudomonas</i> <i>syringae</i> pv. <i>syringae</i>)	1.應檢附輸出國植物檢疫機關（構）簽發之植物檢疫證明書，證明經田間檢疫未罹染 <i>Pseudomonas syringae</i> pv. <i>syringae</i> ，或於輸出前經實驗室檢測未罹染 <i>Pseudomonas syringae</i> pv. <i>syringae</i> ，否則銷燬或退運。 2.日本產梨接穗依「日本產梨接穗輸入檢疫條

(4) 奇異果 (<i>Actinidia deliciosa</i>)	(12) 北韓		件」辦理輸入。
(5) 赤楊屬之一種 (<i>Alnus glutinosa</i>)	(13) 南韓		3.中國大陸產梨接穗依
(6) 槲木屬 (<i>Aralia</i> spp.)	(14) 吉爾吉斯		「中國大陸產梨接穗輸
(7) 漿果鵝屬(<i>Arbutus</i> spp.)	(15) 黎巴嫩		入檢疫條件」辦理輸
(8) 歐洲白樺 (<i>Betula pendula</i>)	(16) 紐西蘭		入。
(9) 旋花科之一種 (<i>Calystegia sepium</i>)	(17) 俄羅斯聯邦		
(10) 番椒 (<i>Capsicum annuum</i>)	(18) 巴基斯坦		
(11) 紅花(<i>Carthamus</i> <i>tinctorius</i>)	(19) 斯里蘭卡		
(12) 矢車菊屬之一種 (<i>Centaurea</i> <i>stoebe</i>)	(20) 泰國		
(13) 野菊 (<i>Chrysanthemum</i> <i>indicum</i>)	(21) 土耳其		
(14) 樟樹 (<i>Cinnamomum</i> <i>camphora</i>)	(22) 烏茲別克 非洲		
(15) 柑橘屬 (<i>Citrus</i> spp.)	(23) 阿爾及利亞		
(16) 阿拉比卡咖啡 (<i>Coffea arabica</i>)	(24) 埃及		
(17) 胡瓜 (<i>Cucumis sativus</i>)	(25) 衣索比亞		
(18) 南瓜屬 (<i>Cucurbita</i> spp.)	(26) 肯亞		
(19) 瓜爾豆 (<i>Cyamopsis te-</i> <i>ragonoloba</i>)	(27) 賴索托		
(20) 榲桲 (<i>Cydonia</i> <i>oblonga</i>)	(28) 利比亞		
(21) 大理花	(29) 馬拉威		
	(30) 摩洛哥		
	(31) 奈及利亞		
	(32) 南非		
	(33) 坦尚尼亞		
	(34) 突尼西亞		
	(35) 烏干達		
	(36) 辛巴威 歐洲		
	(37) 奧地利		
	(38) 比利時		
	(39) 波士尼亞赫塞哥 維納		
	(40) 保加利亞		
	(41) 賽普勒斯		
	(42) 捷克		
	(43) 丹麥		
	(44) 法國		
	(45) 德國		
	(46) 希臘		
	(47) 匈牙利		
	(48) 愛爾蘭		

(<i>Dahlia pinnata</i>)	(49) 義大利		
(22) 瑞香	(50) 拉脫維亞		
(<i>Daphne odora</i>)	(51) 立陶宛		
(23) 柿	(52) 馬其頓		
(<i>Diospyros kaki</i>)	(53) 摩爾多瓦		
(24) 連翹屬之一種	(54) 荷蘭		
(<i>Forsythia intermedia</i>)	(55) 波蘭		
(25) 金柑屬	(56) 葡萄牙		
(<i>Fortunella spp.</i>)	(57) 羅馬尼亞		
(26) 歐洲草莓	(58) 塞爾維亞		
(<i>Fragaria vesca</i>)	(59) 斯洛維尼亞		
(27) 大豆	(60) 西班牙		
(<i>Glycine max</i>)	(61) 瑞典		
(28) 木槿屬	(62) 瑞士		
(<i>Hibiscus spp.</i>)	(63) 英國		
(29) 大麥	(64) 烏克蘭		
(<i>Hordeum vulgare</i>)	北美		
(30) 胡桃	(65) 加拿大		
(<i>Juglans regia</i>)	(66) 墨西哥		
(31) 白花鵲豆	(67) 美國		
(<i>Lablab purpureus</i>)	中南美		
(32) 女貞屬之一種	(68) 阿根廷		
(<i>Ligustrum ovalifolium</i>)	(69) 巴貝多		
(33) 荔枝	(70) 巴西		
(<i>Litchi chinensis</i>)	(71) 智利		
(34) 木蘭屬	(72) 薩爾瓦多		
(<i>Magnolia spp.</i>)	(73) 瓜地馬拉		
(35) 檬果	(74) 宏都拉斯		
(<i>Mangifera indica</i>)	(75) 巴拿馬		
(36) 蘋果	(76) 波多黎各		
(<i>Malus domestica</i>)	(77) 烏拉圭		
(37) 虎爪豆	(78) 委內瑞拉		
(<i>Mucuna pruriens</i>)			
(38) 芭蕉屬之一種			
(<i>Musa paradisiaca</i>)			
(39) 歐洲夾竹桃			
(<i>Nerium oleander</i>)			
(40) 菸草			

(<i>Nicotiana tabacum</i>) (41) 橄欖 (<i>Olea europaea</i>) (42) 稻 (<i>Oryza sativa</i>) (43) 百香果 (<i>Passiflora edulis</i>) (44) 酪梨 (<i>Persea americana</i>) (45) 花豆 (<i>Phaseolus</i> <i>coccineus</i>) (46) 菜豆 (<i>Phaseolus lunatus</i>) (47) 敏豆 (<i>Phaseolus vulgaris</i>) (48) 山梅花屬 (<i>Philadelphus spp.</i>) (49) 放射松 (<i>Pinus radiata</i>) (50) 胡椒 (<i>Piper nigrum</i>) (51) 豌豆 (<i>Pisum sativum</i>) (52) 楊屬 (<i>Populus spp.</i>) (53) 李屬 (<i>Prunus spp.</i>) (54) 梨屬 (<i>Pyrus spp.</i>) (55) 杜鵑花屬 (<i>Rhododendron</i> <i>spp.</i>) (56) 薔薇屬 (<i>Rosa spp.</i>) (57) 柳屬 (<i>Salix spp.</i>) (58) 樹番茄 (<i>Solanum betaceum</i> = <i>Cyphomandra</i>)			
---	--	--	--

<i>betacea)</i> (59) 番茄 (<i>Solanum lycopersicum</i> =<i>Lycopersium esculentum</i>) (60) 高粱 (<i>Sorghum bicolor</i>) (61) 小麥 (<i>Triticum aestivum</i>) (62) 油桐 (<i>Vernicia fordii</i>= <i>Aleurites fordii</i>) (63) 蠶豆屬 (<i>Vicia</i> spp.) (64) 豇豆屬 (<i>Vigna</i> spp.) (65) 葡萄屬 (<i>Vitis</i> spp.) (66) 玉米 (<i>Zea mays</i>) II. 下列繁殖用種子： (1) 瓜爾豆 (<i>Cyamopsis tetragonoloba</i>) (2) 大豆 (<i>Glycine max</i>) (3) 白花鵲豆 (<i>Lablab purpureus</i>) (4) 稻 (<i>Oryza sativa</i>) (5) 花豆 (<i>Phaseolus coccineus</i>) (6) 菜豆 (<i>Phaseolus lunatus</i>) (7) 敏豆 (<i>Phaseolus vulgaris</i>) (8) 豌豆 (<i>Pisum sativum</i>)			
---	--	--	--

(9)高粱 (<i>Sorghum bicolor</i>) (10)小麥 (<i>Triticum aestivum</i>) (11)蠶豆屬 (<i>Vicia</i> spp.) (12)豇豆屬 (<i>Vigna</i> spp.)			
38.下列繁殖用生植株（種子除外）： (1) 長葉栲 (<i>Acacia longifolia</i>) (2) 槭屬 (<i>Acer</i> spp.) (3) 加州七葉樹 (<i>Aesculus californica</i>) (4) 加州赤楊 (<i>Alnus rhombifolia</i>) (5) 樹山葡 (<i>Ampelopsis arborea</i>) (6) 艾屬之一種 (<i>Artemisia douglasiana</i>) (7) 雀麥屬 (<i>Bromus</i> spp.) (8) 美人蕉屬 (<i>Canna</i> spp.) (9) 美洲紫珠 (<i>Callicarpa americana</i>) (10) 長山核桃 (<i>Carya illinoensis</i>) (11) 長春花 (<i>Catharanthus roseus</i>) (12) 紫荊屬之一種 (<i>Cercis occidentalis</i>) (13) 白藜 (<i>Chenopodium quinoa</i>) (14) 柑桔屬 (<i>Citrus</i> spp.) (15) 咖啡屬 (<i>Coffea</i> spp.) (16) 胡蘿蔔 (<i>Daucus carota</i> var. <i>sativa</i>) (17) 金露花	亞洲及太平洋地區 (1) 伊朗 (2) 土耳其 歐洲 (3) 義大利 (4) 西班牙 北美 (5) 美國 (6) 加拿大 中南美 (7) 阿根廷 (8) 巴西 (9) 哥斯大黎加 (10) 巴拉圭 (11) 委內瑞拉	<i>Xylella fastidiosa</i>	應檢附輸出國植物檢疫機關（構）簽發之植物檢疫證明書，證明於輸出前經實驗室檢測未罹染 <i>Xylella fastidiosa</i> 否則銷燬或退運。

(<i>Duranta repens</i>) (18) 無花果 (<i>Ficus carica</i>) (19) 金柑屬 (<i>Fortunella</i> spp.) (20) 加州草莓 (<i>Fragaria californica</i>) (21) 雙瓣白蠟 (<i>Fraxinus dipetala</i>) (22) 倒掛金鐘 (<i>Fuchsia magellanica</i>) (23) 銀杏 (<i>Ginkgo biloba</i>) (24) 常春藤 (<i>Hedera helix</i>) (25) 加州冬青樹 (<i>Heteromeles arbutifolia</i>) (26) 大麥 (<i>Hordeum vulgare</i>) (27) 圓錐繡球 (<i>Hydrangea paniculata</i>) (28) 藍花楹屬之一種 (<i>Jacaranda mimosifolia</i>) (29) 圓柏屬之一種 (<i>Juniperus ashei</i>) (30) 紫薇 (<i>Lagerstroemia indica</i>) (31) 香豌豆屬 (<i>Lathyrus</i> spp.) (32) 甜楓 (<i>Liquidambar styraciflua</i>) (33) 黑麥草 (<i>Lolium multiflorum</i>) (34) 金銀花 (<i>Lonicera japonica</i>) (35) 洋玉蘭 (<i>Magnolia grandiflora</i>) (36) 薄荷屬 (<i>Mentha</i> spp.) (37) 桑 (<i>Morus alba</i>)			
--	--	--	--

(38) 夾竹桃 (<i>Nerium oleander</i>)			
(39) 橄欖 (<i>Olea europaea</i>)			
(40) 五葉地錦 (<i>Parthenocissus quinquefolia</i>)			
(41) 天竺葵 (<i>Pelargonium hortorum</i>)			
(42) 厚葉海桐 (<i>Pittosporum crassifolium</i>)			
(43) 美國梧桐 (<i>Platanus occidentalis</i>)			
(44) 酪梨 (<i>Persea americana</i>)			
(45) 枸橘屬 (<i>Poncirus</i> spp.)			
(46) 李屬 (<i>Prunus</i> spp.)			
(47) 櫟屬 (<i>Quercus</i> spp.)			
(48) 加州薔薇 (<i>Rosa californica</i>)			
(49) 迷迭香 (<i>Rosmarinus officinalis</i>)			
(50) 懸鈎子屬 (<i>Rubus</i> spp.)			
(51) 接骨木 (<i>Sambucus canadensis</i>)			
(52) 高粱 (<i>Sorghum vulgare</i>)			
(53) 丁香 (<i>Syringa vulgaris</i>)			
(54) 三葉草屬 (<i>Trifolium</i> spp.)			
(55) 榆屬 (<i>Ulmus</i> spp.)			
(56) 加州月桂 (<i>Umbellularia californica</i>)			
(57) 越桔屬 (<i>Vaccinium</i> spp.)			
(58) 蠶豆			

(<i>Vicia faba</i>) (59) 日日春 (<i>Vinca major</i>) (60) 葡萄屬 (<i>Vitis</i> spp.)			
39.下列繁殖用生植株： (1)西洋芹 (<i>Apium graveolens</i>) (2)辣根 (<i>Armoracia rusticana</i>) (3)甜菜 (<i>Beta vulgaris</i>) (4)胡瓜 (<i>Cucumis sativas</i>) (5)紅藜 (<i>Chenopodium giganteum</i> =<i>C. album</i> subsp. <i>amaranticolor</i>) (6)白藜 (<i>Chenopodium quinoa</i>) (7)胡蘿蔔 (<i>Daucus carota</i>) (8)康乃馨 (<i>Dianthus caryophyllus</i>) (9)豆科 (<i>Fabaceae</i>) (10)連翹 (<i>Forsythia suspense</i>) (11)草莓 (<i>Fragaria</i> × <i>ananassa</i>) (12)唐菖蒲 (<i>Gladiolus hybridus</i>) (13)蛇麻 (<i>Humulus lupulus</i>) (14)萵苣 (<i>Lactuca sativa</i>) (15)百合屬 (<i>Lilium</i> spp.) (16)水仙屬 (<i>Narcissus</i> spp.) (17)橄欖 (<i>Olea europaea</i>) (18)矮牽牛屬 (<i>Petunia</i> spp.)	亞洲及太平洋地區 (1) 澳大利亞 (2) 日本 (3) 印度 (4) 伊朗 (5) 哈薩克 (6) 黎巴嫩 (7) 紐西蘭 (8) 敘利亞 (9) 俄羅斯聯邦 (10) 土耳其 (11) 烏克蘭 非洲 (12) 埃及 (13) 南非 歐洲 (14) 奧地利 (15) 比利時 (16) 保加利亞 (17) 白俄羅斯 (18) 捷克 (19) 丹麥 (20) 法國 (21) 德國 (22) 挪威 (23) 克羅埃西亞 (24) 匈牙利 (25) 愛爾蘭 (26) 義大利 (27) 盧森堡 (28) 拉脫維亞 (29) 摩爾達維亞	南芥嵌紋病毒 (<i>Arabis mosaic virus</i> (Nepovirus))	應檢附輸出國植物檢疫機關(構)簽發之植物檢疫證明書，證明經田間檢疫或於輸出前經實驗室檢測未罹染南芥嵌紋病毒，否則銷燬或退運。

(19)敏豆 (<i>Phaseolus vulgaris</i>) (20)甜櫻桃 (<i>Prunus avium</i>) (21)杏 (<i>Prunus armeniaca</i>) (22)歐洲酸櫻桃 (<i>Prunus cerasus</i>) (23)歐洲李 (<i>Prunus domestica</i>) (24)扁桃 (<i>Prunus dulcis</i>) (25)桂櫻 (<i>Prunus laurocerasus</i>) (26)桃 (<i>Prunus persica</i>) (27)大黃 (<i>Rheum palmatum</i>) (28)薔薇屬 (<i>Rosa</i> spp.) (29)覆盆子 (<i>Rubus idaeus</i>) (30)西洋接骨木 (<i>Sambucus nigra</i>) (31)白花苜蓿 (<i>Trifolium repens</i>) (32)馬鞭草屬 (<i>Verbena</i> spp.) (33)葡萄 (<i>Vitis vinifera</i>)	(30) 蒙特內哥羅 (31) 荷蘭 (32) 波蘭 (33) 羅馬尼亞 (34) 科索沃 (35) 塞爾維亞 (36) 斯洛維尼亞 (37) 西班牙 (38) 瑞典 (39) 瑞士 (40) 芬蘭 (41) 英國 (42) 烏克蘭 北美 (43) 加拿大 (44) 墨西哥 (45) 美國 中南美 (46) 智利		
50.下列繁殖用生植株(種子除外): (1) 無花果 (<i>Ficus carica</i>)	亞洲及太平洋地區 (1) 澳大利亞 (2) 中國大陸 (3) 伊朗 (4) 以色列 (5) 日本 (6) 約旦 (7) 黎巴嫩 (8) 紐西蘭 (9) 敘利亞 (10) 土耳其 非洲 (11) 阿爾及利亞 (12) 突尼西亞 歐洲 (13) 克羅埃西亞	無花果嵌紋病毒 (<i>Fig mosaic virus</i> (Emaravirus))	應檢附輸出國植物檢疫機關(構)簽發之植物檢疫證明書,證明經田間檢疫未染鳳仙花壞疽斑點病毒,或於輸出前經實驗室檢測未染鳳仙花壞疽斑點病毒,否則銷燬或退運。

	(14) 希臘 (15) 義大利 (16) 塞爾維亞 (17) 西班牙 (18) 英國 北美 (19) 加拿大 (20) 美國 中南美 (21) 波多黎各		
51. 下列繁殖用生植株(種子除外): (1) 烏頭屬 (Aconitum spp.) (2) 百合水仙屬 (Alstroemeria spp.) (3) 白頭翁屬 (Anemone spp.) (4) 金魚草屬 (Antirrhinum spp.) (5) 花生 (Arachis hypogaea) (6) 臺灣山蘇花 (Asplenium nidus) (7) 秋海棠屬 (Begonia spp.) (8) 寒丁子屬 (Bouvardia spp.) (9) 翠菊屬 (Callistephus spp.) (10) 番椒屬 (Capsicum spp.) (11) 菊苣 (Cichorium endivia) (12) 菊屬 (Chrysanthemum spp. = Dendranthema spp.) (13) 鯨魚花屬 (Columnea spp.) (14) 胡瓜 (Cucumis sativus) (15) 仙客來 (Cyclamen persicum) (16) 大理花屬 (Dahlia spp.) (17) 石斛蘭屬 (Dendrobium spp.)	亞洲及太平洋地區 (1) 中國大陸 (2) 伊朗 (3) 以色列 (4) 日本 (5) 紐西蘭 非洲 (6) 烏干達 歐洲 (7) 奧地利 (8) 比利時 (9) 保加利亞 (10) 捷克 (11) 法國 (12) 德國 (13) 匈牙利 (14) 義大利 (15) 馬其頓 (16) 荷蘭 (17) 波蘭 (18) 葡萄牙 (19) 斯洛維尼亞 (20) 西班牙 (21) 英國 (22) 烏克蘭 北美 (23) 加拿大 (24) 墨西哥 (25) 美國	鳳仙花壞疽斑點病毒(<i>Impatiens necrotic spot virus</i> , Tospovirus)	應檢附輸出國植物檢疫機關(構)簽發之植物檢疫證明書,證明經田間檢疫未染鳳仙花壞疽斑點病毒,或於輸出前經實驗室檢測未染鳳仙花壞疽斑點病毒,否則銷燬或退運。

(18) 洋桔梗 (<i>Eustoma grandiflorum</i>) (19) 紫芳草 (<i>Exacum affine</i>) (20) 八角金盤 (<i>Fatsia japonica</i>) (21) 唐菖蒲屬 (<i>Gladiolus</i> spp.) (22) 大丁草屬 (<i>Gerbera</i> spp.) (23) 蜘蛛百合屬 (<i>Hymenocallis</i> spp.) (24) 鳳仙花屬 (<i>Impatiens</i> spp.) (25) 萵苣 (<i>Lactuca sativa</i>) (26) 補血草屬 (<i>Limonium</i> spp.) (27) 山梗菜屬 (<i>Lobelia</i> spp.) (28) 囊距花屬 (<i>Nemesia</i> spp.) (29) 菸草 (<i>Nicotiana tabacum</i>) (30) 羅勒 (<i>Ocimum basilicum</i>) (31) 蝴蝶蘭屬 (<i>Phalaenopsis</i> spp.) (32) 墨西哥酸漿 (<i>Physalis ixocarpa</i>) (33) 海桐花屬 (<i>Pittosporum</i> spp.) (34) 櫻草屬 (<i>Primula</i> spp.) (35) 毛茛屬 (<i>Ranunculus</i> spp.) (36) 懸鈎子屬 (<i>Rubus</i> spp.) (37) 長生草屬 (<i>Sempervivum</i> spp.) (38) 瓜葉菊 (<i>Senecio cruentus</i>) (39) 大岩桐 (<i>Sinningia speciosa</i> = <i>Gloxinia speciosa</i>) (40) 番茄 (<i>Solanum lycopersicum</i> = <i>Lycopersicum esculentum</i>) (41) 馬鈴薯	中南美 (26) 智利 (27) 哥斯大黎加		
--	---	--	--

(<i>Solanum tuberosum</i>) (42) 芭葉芋屬 (<i>Spathiphyllum</i> spp.) (43) 菠菜 (<i>Spinacea oleracea</i> = <i>Spinacia oleracea</i>) (44) 萬苣纈草 (<i>Valerianella olitoria</i>) (45) 海芋 (<i>Zantedeschia aethiopica</i>)			
52. 下列繁殖用生植株 (種子除外) (1) 蘭科(<i>Orchidaceae</i>)	亞洲及太平洋地區 (1) 中國大陸 (2) 日本 (3) 南韓 (4) 澳大利亞 非洲 (5) 南非 歐洲 (6) 德國 (7) 丹麥 北美 (8) 美國 中南美 (9) 巴西 (10) 哥倫比亞 (11) 哥斯大黎加	蘭花斑點病毒 (<i>Orchid fleck virus</i>)	應檢附輸出國植物檢疫機關(構)簽發之植物檢疫證明書，證明經田間檢疫未染蘭花斑點病毒，或於輸出前經實驗室檢測未染蘭花斑點病毒，否則銷燬或退運。

十、輸入之植物或植物產品經檢疫結果證明有下列有害生物存在，應經適當之檢疫處理，確定該有害生物完全滅除後，始得輸入。無適當之檢疫處理方式可滅除該有害生物時，應予退運或銷燬。行政院農業委員會動植物防疫檢疫局得對下列有害生物之上一分類群 (Taxa) 有害生物採取檢疫處理措施。

昆蟲類(342 種)

Acalolepta cervina

Acanthoscelides obtectus

Acanthoscelides pallidipennis

Acleris gloverana

Acleris variana

Acrogonia terminalis

Acrolepiopsis assectella

Acropolitis rudisana

Adelges tsugae

Adoxophyes orana
Aeolesthes sarta
Aeolothrips fasciatus
Aethina tumida
Affirmaspis socotrana
Agrilus mali
Amorbia emigratella
Anaphothrips obscurus
Anastrepha grandis
Anastrepha striata
Anastrepha suspensa
Anchastus swezeyi
Anomala sulcatula
Anthonomus bisignifer
Anthonomus eugenii
Anthonomus grandis
Aonidiella lauretorum
Aonidiella orientalis
Aonidiella tinerfinensis
Aphis fabae
Aphis sedi
Apis mellifera capensis
Apis mellifera scutellata
Archips micaceanus
Argyrotaenia ljugiana
Artitropa comus
Aspidiotus nerii
Aspidiotus spinosus
Asterolecanium spp.
Bactrocera albistrigata
Bactrocera aquilonis
Bactrocera cucumis
Bactrocera decipiens
Bactrocera diversa
Bactrocera fascialis
Bactrocera frauenfeldi
Bactrocera jarvisi
Bactrocera kirki
Bactrocera latifrons
Bactrocera melanota

Bactrocera musae
Bactrocera neohumeralis
Bactrocera occipitalis
Bactrocera oleae
Bactrocera passiflorae
Bactrocera psidii
Bactrocera trivialis
Bactrocera tuberculata
Bactrocera umbrosa
Bagrada hilaris
Bactrocera xanthodes
Bemisia cordylinidis
Blitopertha orientalis
Brachycaudus cardui
Brachycaudus persicae
Brachycerus spp.
Brachydactyla discoidea
Bruchophagus roddi
Bruchus pisorum
Bruchus rufimanus
Bulbifer homeorhynchus
Cacoecimorpha pronubana
Cacopsylla chinensis
Cacyreus marshalli
Callipogon relictus
Callosobruchus analis
Callosobruchus phaseoli
Camponotus floridanus
Camponotus herculeanus
Camponotus kiusiuensis
Camponotus noveboracensis
Camponotus obscuripes
Camponotus pennsylvanicus
Capitophorus horni
Capua tortrix
Cataenococcus hispidus
Catamacta lotinana
Ceratitis spp.
Chaetanaphothrips signipennis
Chalcophora japonica

Choristoneura conflictana
Choristoneura fumiferana
Choristoneura occidentalis
Choristoneura rosaceana
Chrysomphalus diversicolor
Chrysomphalus pinnulifer
Cilaeopeplus swezeyi
Coccidohystrix insolita
Coccus spp.
Conoderus eveillardii
Conoderus rufangulus
Conopia hector
Conotrachelus aguacatae
Contarinia maculipennis
Contarinia nasturtii
Contarinia sorghicola
Coptotermes curvignathus
Copturus aguacatae
Crematogaster matsumurai
Crematogaster teranishii
Cryptophlebia leucotreta
Cryptorhynchus lapathi
Curculio davidi
Curculio elephas
Curculio nucum
Cydia latiferreana
Cydia splendana
Dacus bivittatus
Dacus vertebrates
Daktulosphaira vitifoliae
Dasineura mali
Dendroctonus adjunctus
Dendroctonus ponderosae
Dendroctonus rufipennis
Dendrolimus sibiricus
Delia antique
Delia platura
Diabrotica barberi
Diabrotica speciosa
Diabrotica undecimpunctata

Diabrotica virgifera virgifera
Diaprepes abbreviatus
Diaspidiotus gigas
Diaspidiotus ostreaeformis
Diaspidiotus pyri
Diatraea saccharalis
Dilobopterus costalimai
Dociostaurus maroccanus
Draeculacephala minerva
Dreyfusia piceae
Drosophila suzukii
Dryocoetes confuses
Dryocosmus kuriphilus
Dysmicoccus nesophilus
Dyspepsa ulula
Earias vittella
Echinothrips americanus
Elytroteinus subtruncatus
Epiphyas postvittana
Epitrix cucumeris
Epitrix tuberis
Eriosoma lanigerum
Eublemma rufimixta
Eucalymnatus tessellatus
Euproctis chrysorrhoea
Eurytoma laricis
Eustalodes anthivora
Exosoma lusitanica
Frankliniella spp.
Furcaspis oceanica
Glaucothrips glaucus
Gnathotrichus sulcatus
Gonipterus gibberus
Graphocephala atropunctata
Grapholita funebrana
Grapholita inopinata
Grapholita molesta
Grapholita packardi
Grapholita prunivora
Heilipus lauri

Helicoverpa zea
Hemiberlesia cyanophylli
Hemiberlesia palmae
Hemimene juliana
Hesperophanes campestris
Heterobostrychus aequalis
Heteronychus arator
Holotrichia mindanaona
Homalodisca coagulata
Howardia biclavis
Hylastes ater
Hylurgopinus rufipes
Hyphantria cunea
Hypothenemus hampei
Insulaspis orsoni
Ips calligraphus
Ips confusus
Ips grandicollis
Ips lecontei
Ips pini
Ips plastographus
Ips typographus
Iridomyrmex cordatus
Iridomyrmex humilis = *Linepithema humile*
Ischnaspis longirostris
Kandyosilis cochleata
Kytorhinus immixtus
Laspeyresia spp.
Lepidosaphes salicina
Lepidosaphes tokionis
Leptocybe invasa
Leucoptera malifoliella
Limonius californicus
Liposcelis decolor
Listroderes subcinctus
Listronotus bonariensis
Lobesia botrana
Locusta migratoria
Lopholeucaspis cockerelli
Lymantria dispar

Lymantria monacha
Macrosiphum euphorbiae
Malacosoma americanum
Malacosoma disstria
Margarodes prieskaensis
Margarodes vredendalensis
Matsucoccus matsumurae
Mayetiola destructor
Megalometis chilensis
Melanaspis corticosa
Melanaspis elaeagni
Melanaspis nigropunctata
Melanotus communis
Metamasius spp.
Monochamus spp.
Mudaria luteileprosa
Mudaria magniplaga
Mycetaspis personata
Mycetaspis sphaerioides
Myzus ornatus
Nasutitermes corniger
Naupactus xanthographus
Nemorimyza maculosa
Neomaskellia bergii
Neoselenaspidus silvaticus
Nipaecoccus nipae
Nomadacris septemfasciata
Nysius vinitor
Oncometopia fascialis
Operophtera brumata
Opogona sacchari
Opuntiaspis carinata
Orgyia antiqua
Orgyia pseudotsugata
Orthezia insignis
Oryctes monoceros
Ostrinia nubilalis
Otiorhynchus ligustici
Oulema melanopus
Oviticoccus agavium

Pammene fasciana
Paralipsa gularis
Paranthrene tabaniformis
Paraputo hispidus
Parthenolecanium corni
Pectinophora scutigera
Perileuoptera coffeella
Phalaenoides glycinae
Phenacaspis tangana
Phenacoccus manihoti
Phyllophaga spp.
Pinnaspis dracaenae
Pinnaspis strachani
Pissodes nemorensis
Pissodes strobi
Pissodes terminalis
Pogonomyrmex occidentalis
Prays endocarpa
Premnotrypes latithorax
Premnotrypes suturicallus
Premnotrypes vorax
Proeulia spp.
Promecotheca cumingii
Prostephanus truncatus
Proterhinus vestitus
Pseudischnaspis bowreyi
Pseudaulacaspis dendrobii
Pseudococcus spp.
Pterandrus spp.
Ptilodactyla exotica
Pulvinaria urbicola
Pulvinaria vitis
Rhagoletis cerasi
Rhagoletis cingulata
Rhagoletis fausta
Rhagoletis indifferens
Rhagoletis mendax
Rhizoecus amorphophalli
Rhizoecus floridanus
Rhizoecus simplex

Rhodogastria carneola
Rhynchophorus palmarum
Rondotia menciaana
Sahlbergella singularis
Sardia pluto
Scirtothrips aurantii
Scirtothrips citri
Schistocerca gregaria
Scolytus morawitzi
Scolytus multistriatus
Scolytus scolytus
Scyphophorus acupunctatus
Selenaspidus antsingyi
Selenaspidus littoralis
Sesamia cretica
Sirex noctilio
Sitophilus granarius
Sminthurus viridis
Solenopsis invicta
Solenopsis richteri
Solenopsis richteri × *Solenopsis*
Solenopsis xyloni
Sphaeraspis vitis
Spilonota lechriaspis
Spilonota pyrusicola
Spodoptera eridania
Spodoptera frugiperda
Spodoptera littoralis
Stenoma catenifer
Taeniothrips samdensis
Tecia solanivora
Tessaratomya papillosa
Tetropium castaneum
Tetropium fuscum
Tetropium gracilicorne
Thrips spp.
Tomicus piniperda
Toxotrypana curvicauda
Trioza erytrae
Trogoderma granarium

Unaspis citri
Urocerus japonicas
Voraspis tangana
Wasmannia auropunctata
Xyleborus affinis
Xyleborus ferrugineus
Xyleborus rugatus
Xylopsocus capucinus
Xylotrechus altaicus
Xyphon (formerly Carneocephala) fulgida
Yponomeuta malinellus
Zabrotes subfasciatus
Zonocerus elegans

真菌類（82 種）

Alternaria gaisen
Anisogramma anomala
Apiosporina morbosa
Atropellis piniphila
Botryosphaeria laricina
Calonectria ilicicola
Ceratocystis fagacearum
Ceratocystis fimbriata
Chrysomyxa abietis
Chrysomyxa ledi
Ciborinia camelliae
Colletotrichum coccodes
Cronartium coleosporioides
Cronartium flaccidum
Cronartium quercuum f. *sp. fusiforme*
Cronartium himalayense
Cronartium kamtschaticum
Cronartium quercuum
Cryphonectria parasitica
Cylindrocarpon destructans
Cytospora sp.
Diaporthe phaseolorum
Diaporthe tanakae
Diaporthe vaccinii
Didymella ligulicola

Elsinoe australis
Endocronartium harknessii
Entyloma holwayi H. & P. Sydow
Eutypa lata
Fusarium subglutinans
Fusarium oxysporum f. sp.
Gaeumannomyces graminis
Gibberella circinata
Gremmeniella abietina
Gymnosporangium asiaticum
Gymnosporangium clavipes
Gymnosporangium fuscum
Gymnosporangium globosum
Gymnosporangium yamadae
Hymenoscyphus pseudoalbidus
Lachnellula willkommii
Leptosphaeria maculans
Leptosphaeria nodorum
Macrophomina phaseolina
Marasmiellus scandens
Melampsora farlowii
Monilinia fructigena
Nectria galligena
Nectria mauritiicola
Nectriella pironii
Ophiostoma novo-ulmi
Ophiostoma ulmi
Ophiostoma wageneri
Peronosclerospora maydis
Peronosclerospora sacchari
Phoma andigena
Phoma exigua var. *foveata*
Phoma tracheiphila
Phomopsis viticola
Phomopsis vitimegaspora
Phomopsis vitimegasora
Phymatotrichopsis omnivora
Phytophthora fragariae
Puccinia gladioli
Puccinia mcleanii

Puccinia pittieriana
Rigidioporus lignosus
Sclerotium cepivorum
Stagonosporopsis chrysanthemi (無性世代：*Didymella ligulicola*)
Septoria lycopersici
Stenocarpella maydis
Thecaphora solani
Tilletia barclayana
Tilletia indica
Trachysphaera fructigena
Uredo dioscoreae-alatae
Uredo gladioli-buettneri
Urocystis agropyri
Urocystis tritici
Ustilago scitaminea
Verticillium alboatrum
Verticillium dahliae

病毒類 (466 種)

Abutilon mosaic virus (AbMV) (*Geminiviridae*, *Begomovirus*)
Ageratum yellow vein virus (AYVV) (*Geminiviridae*, *Begomovirus*)
African cassava mosaic virus (ACMV) (*Geminiviridae*, *Begomovirus*)
Agropyron mosaic virus (AgMV) (*Potyviridae*, *Bymovirus*)
Alfalfa cryptic virus 1 (ACV-1) (*Partitiviridae*, *alphacryptovirus*)
Alfalfa enation virus
Alfalfa mosaic virus (AlMV) (*Bromoviridae*, *alfamovirus*)
Alsike clover vein mosaic virus
Alstroemeria mosaic virus (AlMV) (*Potyviridae*, *potyvirus*)
Amaranthus leaf mottle virus (AmLMV) (*Potyviridae*, *potyvirus*)
American plum line pattern virus (APLPV) (*Bromoviridae*, *Ilarvirus*)
Andean potato latent virus (APLV) (*Tymovirus*)
Andean potato mottle virus (APMoV) (*Comoviridae*, *Comovirus*)
Anthoxanthum latent blanching virus (ALBV) (*Hordeivirus*)
Anthriscus yellows virus (AYV) (*Sequiviridae*, *waikavirus*)
Apple chat fruit disease
Apple chlorotic leaf spot virus (ACLSV) (*Trichovirus*, *Flexiviridae*)
Apple dimple fruit viroid (ADFVd) (*Apscaviroid*, *Pospiviroidae*)
Apple mosaic virus (ApMV) (*Bromoviridae*, *Ilarvirus*)
Apple scar skin viroid (ASSVd) (*Pospiviroidae*, *Apscaviroid*)
Apple stem grooving virus (ASGV) (*Capillovirus*, *Flexiviridae*)

Apple stem pitting virus (ASPV) (Foveavirus, Flexiviridae)
Araujia mosaic virus (ArjMV) (Potyviridae, potyvirus)
Arracacha Virus A (AVA) (Comoviridae, Nepovirus)
Arracacha Virus B (AVB) (Comoviridae, Nepovirus)
Arracacha Virus Y (AVY) (Potyviridae, potyvirus)
Artichoke Italian latent virus (AILV) (Comoviridae, nepovirus)
Artichoke latent virus (ArLV) (Potyviridae, potyvirus)
Artichoke mottled crinkle virus (AMCV) (Tombusviridae, Tombusvirus)
Artichoke yellow ringspot virus (AYRSV) (Comoviridae, Nepovirus)
Asparagus virus 1 (AV-1) (Potyviridae, potyvirus)
Asparagus virus 2 (AV-2) (Bromoviridae, ilarvirus)
Asparagus virus 3 (AV-3) (Potexvirus)
Banana bunchy top virus (BBTV) (Nanovirus)
Barley mild mosaic virus (BaMMV) (Potyviridae, bymovirus)
Barley mosaic virus (BBV)
Barley yellow dwarf virus-GPV (BYDV-GPV) (Luteovirus)
Barley yellow mosaic virus (BaYMV) (Potyviridae, Bymovirus)
Barley yellow striate mosaic virus (BYSMV) (Rhabdoviridae, Cytorhabdovirus)
Bean calico mosaic virus (BCaMV) (Geminiviridae, Begomovirus)
Bean common mosaic virus (Potyviridae, potyvirus)
Bean golden mosaic virus (BGMV) (Geminiviridae, Begomovirus)
Bean leaf roll virus (BLRV) (Luteoviridae, luteovirus)
Bean mild mosaic virus (BMMV) (Tombusviridae, carmovirus)
Bean pod mottle virus (BPMV) (Comoviridae, comovirus)
Bean rugose mosaic virus (BRMV) (Comoviridae, comovirus)
Bean southern mosaic virus (SBMV) (sobemovirus)
Bean yellow vein banding virus (BYVBV) (Umbravirus)
Beet distortion mosaic virus
Beet mild yellowing virus (BMV) (Luteoviridae, luteovirus)
Beet mosaic virus (BtMV) (Potyviridae, potyvirus)
Beet soil-borne virus (BSBV) (Pomovirus)
Beet western yellows virus (BWYV) (Luteoviridae, luteovirus)
Beet yellows virus (BYV) (Closteroviridae, closterovirus)
Beet yellow stunt virus (BYSV) (Closteroviridae, closterovirus)
Beet curly top virus (BCTV) (Geminiviridae, Curtomovirus)
Beet leaf curl virus (BLCV) (Rhabdoviridae)
Beet necrotic yellow vein virus (BNYVV) (Benyvirus)
Belladonna mottle virus (BeMV) (Tymovirus)
Bermuda grass etched-line virus (BELV) (Marafivirus)
Bhendi yellow vein mosaic virus (BYVMV) (Geminiviridae, Begomovirus)

Bidens mosaic virus (BiMV) (Potyviridae, potyvirus)
Bidens mottle virus (BiMoV) (Potyviridae, potyvirus)
Black raspberry latent ilarvirus
Black raspberry necrosis virus (BRNV)
Blackcurrant reversion associated virus (BRAV) (Comoviridae, Nepovirus)
Blueberry leaf mottle virus (BLMoV) (Comoviridae, Nepovirus)
Blueberry necrotic shock virus (BlShV) (ilarvirus)
Blueberry red ringspot virus (BRRV) (Caulimoviridae, caulimovirus)
Blueberry scorch virus (BBScV) (carlavirus)
Blueberry shoestring virus (BSSV) (sobemovirus)
Broad bean B virus
Broad bean necrosis virus (BBNV) (Pomovirus)
Broad bean severe chlorosis virus (Closteroviridae, closterovirus)
Broad bean stain virus (BBSV) (Comoviridae, comovirus)
Broad bean true mosaic virus (BBTMV) (Comoviridae, comovirus)
Broad bean wilt virusd (BBWV) (Comoviridae, fabavirus)
Broad bean yellow ringspot virus
Broad bean yellow vein virus (Rhabdoviridae, cytorhabdovirus)
Broccoli necrotic yellows virus (BNYV) (Rhabdoviridae, cytorhabdovirus)
Brome mosaic virus (BMV) (Bromoviridae, bromovirus)
Brome streak mosaic virus (BrStMV) (Potyviridae, Tritimovirus)
Burdock mosaic virus
Burdock mottle virus
Burdock yellows virus (BuYV) (Closteroviridae, closterovirus)
Cacao necrosis virus (CNV) (Comoviridae, nepovirus)
Cacao swollen shoot virus (CSSV) (Caulimoviridae, badnavirus)
Cacao yellow mosaic virus (CYMV) (Tymovirus)
Cactus virus (CV-2) (Carlavirus)
Canna yellow mottle VIRUS (CaYMV) (Caulimoviridae, badnavirus)
Caper latent virus (CapLV) (Carlavirus)
Cardamine chlorotic fleck virus (CCFV) (Tombusviridae, carmovirus)
Cardamom mosaic virus (CdMV) (Potyviridae, potyvirus)
Carnation cryptic virus 1 (CCV-1) (Partitiviridae, alphacryptovirus)
Carnation etched ring virus (CERV) (Cualimoviridae, caulimovirus)
Carnation Italian ringspot virus (CIRV) (Tombusviridae, tombusvirus)
Carnation latent virus (CLV) (Carlavirus)
Carnation mottle virus (CarMV) (Carmovirus)
Carnation necrotic fleck virus (CNFV) (Clostreoviridae, closterovirus)
Carnation ringspot virus (CRSV) (Tombusviridae, dianthovirus)
Carnation vein mottle virus (CVMoV) (Potyviridae, potyvirus)

Carrot latent virus (CtLV) (Rhabdoviridae, nucleorhabdovirus)
Carrot mottle mimic virus (CmoMV) (Umbravirus)
Carrot mottle virus (CMoV) (Umbravirus)
Carrot red leaf virus (CtRLV) (Luteoviridae, luteovirus)
Carrot temperate virus 1 (CteV-1) (Partitiviridae, alphacryptovirus)
Carrot temperate virus 2 (CteV-2) (Partitiviridae, betacryptovirus)
Carrot temperate virus 3 (CteV-3) (Partitiviridae, alphacryptovirus)
Carrot temperate virus 4 (CteV-4) (Partitiviridae, alphacryptovirus)
Carrot thin leaf virus (CTLV) (Potyviridae, potyvirus)
Cowpea chlorotic mottle virus (CCMV) (Bromoviridae, Bromovirus)
Cowpea golden mosaic virus (CPGMV) (Geminiviridae, Begomovirus)
Cowpea green vein-banding virus (CGVBV) (Potyviridae, Potyvirus)
Cowpea mosaic virus (CPMV) (Comoviridae, Comovirus)
Cowpea rugose mosaic virus (CPRMV) (Potyviridae, Potyvirus)
Cowpea severe mosaic virus (CPSMV) (Comoviridae, Comovirus)
Cowpea stunt virus (Luteovirus)
Cassava African mosaic virus (ACMV) (Geminiviridae, bigeminivirus)
Cassava green mottle virus (CaGMV) (Comoviridae, nepovirus)
Cassava Indian mosaic virus (ICMV) (Geminiviridae, bigeminivirus)
Cassava Ivorian bacilliform virus (CsIBV) (Ourmiavirus)
Cassava virus X (CsVX) (Potexvirus)
Cassia mosaic virus
Cassia ringspot virus
Cassia yellow blotch virus (CYBV) (Bromoviridae, bromovirus)
Cassia yellow spot virus (CasYSV) (Potyviridae, potyvirus)
Cauliflower mosaic virus (CaMV) (Caulimoviridae, caulimovirus)
Celery mosaic virus (CeMV) (Potyviridae, potyvirus)
Cereal northern mosaic virus (NCMV) (cytorhabdovirus)
Cassava brown streak virus (CsBSV) (Potyviridae, Ipomovirus)
Cassava common mosaic virus (CsCMV) (Potexvirus)
Cereal chlorotic mosaic virus (CCMoV) (Rhabdoviridae)
Cherry green ring mottle virus (CGRMV) (Foveavirus)
Cherry leaf roll virus (CLRV) (Comoviridae, Nepovirus)
Cherry mottle leaf virus (CMLV) (Trichovirus)
Cherry rasp leaf virus (CRLV) (Comoviridae, Nepovirus)
Cherry virus A (CVA) (Capillovirus)
Chickpea bushy dwarf virus (CpBDV) (Potyviridae, potyvirus)
Chickpea distortion mosaic virus (Potyviridae, potyvirus)
Chicory virus (ChVX) (potexvirus)
Chicory yellow mottle virus (ChYMV) (Comoviridae, nepovirus)

Chino del tomate virus (CdTV) (*Geminiviridae*, *bigeminivirus*)
Chloris striate mosaic virus (CSMV) (*Geminiviridae*, *monogeminivirus*)
Chrysanthemum virus B (CVB) (*Carlavirus*)
Citrus blight disease
Citrus leprosis virus (CiLV) (*Rhabdoviridae*)
Citrus yellow mosaic virus (CiYMV) (*Caulimoviridae*, *Badnavirus*)
Citrus leaf rugose virus (CiLRV) (*Rhabdoviridae*, *ilarvirus*)
Citrus ringspot virus
Citrus sudden death-associated virus (CSD- associated virus) (*Marafivirus*, *Tymoviridae*)
Citrus variegation virus (CVV) (*Bromoviridae*, *ilarvirus*)
Clitoria yellow vein virus (CYVV) (*Tymovirus*)
Clover mild mosaic virus
Clover wound tumor virus (WTV) (*Phytoreovirus*)
Clover yellow mosaic virus (CIYMV) (*potexvirus*)
Clover yellows virus (CYV) (*Closteroviridae*, *closterovirus*)
Clover yellow vein virus (CIYVV) (*Potyviridae*, *potyvirus*)
Cocksfoot mottle virus (CoMV) (*Sobemovirus*)
Coconut foliar decay virus (CFDV) (*Nanavirus*)
Commelina diffusa virus (*Potyviridae*, *potyvirus*)
Commelina mosaic virus (ComMV) (*Potyviridae*, *potyvirus*)
Commelina virus X (ComVX) (*potexvirus*)
Commelina yellow mottle virus (ComYMV) (*Caulimoviridae*, *badnavirus*)
Cocksfoot mild mosaic virus (CoMV) (*Sobemovirus*)
Cocoa mottle leaf virus
Cocoa necrosis virus (CoNV) (*Comoviridae*, *Nepovirus*)
Cocoa swollen shoot virus (CSSV) (*Caulimoviridae*, *Badnavirus*)
Cocoa yellow mosaic virus
Colombian datura virus (CDV) (*Potyviridae*, *Potyvirus*)
Coriander feathery red vein virus (CFRVV) (*Rhabdoviridae*, *nucleorhabdovirus*)
Cotton leaf curl virus (CLCuV) (*Geminiviridae*, *Begomovirus*)
Cotton leaf crumple virus (CLCrV) (*Geminiviridae*, *bigeminivirus*)
Cowpea mild mottle virus (CPMMV) (*Carlavirus*)
Crimson clover latent virus (CCLV) (*Comoviridae*, *nepovirus*)
Crinum mosaic virus (CriMV) (*Potyviridae*, *potyvirus*)
Croton yellow vein mosaic virus (CYVMV) (*Geminiviridae*, *bigeminivirus*)
Cucumber green mottle mosaic virus (CGMMV) (*Tobamovirus*)
Cucumber leaf spot virus (CLSV) (*Tombusviridae*, *carmovirus*)
Cucumber mosaic virus subgroup II (CMV-II) (*Bromoviridae*, *Cucumovirus*)
Cucumber necrosis virus (CuNV) (*Tombusviridae*, *tombusvirus*)
Cucumber soil-borne virus (CuSBV) (*Tombusviridae*, *carmovirus*)

Cucumber vein yellowing virus (CVYV)
Cucurbit chlorotic yellows virus (CCYC) (Closteroviridae, Crinivirus)
Cycas necrotic stunt virus (CNSV) (Comoviridae, nepovirus)
Cymbidium ringspot virus (CymRSV) (Tombusviridae, tombusvirus)
Cynodon chlorotic streak virus
Cynosurus mottle virus (CnMoV) (Sobemovirus)
Dahlia mosaic virus (DMV) (Caulimoviridae, caulimovirus)
Dandelion latent virus (DaLV) (Carlavirus)
Dandelion yellow mosaic virus (DaYMV) (Sequiviridae, sequivirus)
Daphne virus X (DVX) (Potexvirus)
Daphne virus Y (DVY) (Potyviridae, potyvirus)
Datura Colombian virus (CDV) (Potyviridae, potyvirus)
Datura distortion mosaic virus (DDMV) (Potyviridae, potyvirus)
Datura necrosis virus (DNV) (Potyviridae, potyvirus)
Datura shoestring virus (DSTV) (Potyviridae, potyvirus)
Datura yellow vein virus (DYVV) (Rhabdoviridae, nucleorhabdovirus)
Datura distortion virus
Datura enation mosaic virus
Dendrobium mosaic virus (DeMV) (Potyviridae, potyvirus)
Desmodium mosaic virus (DesMV) (Potyviridae, potyvirus)
Desmodium yellow mottle virus (DYMV) (Tymovirus)
Digitaria streak virus (DSV) (Geminiviridae, monogeminivirus)
Digitaria striate mosaic (DiSMV) (Geminiviridae, monogeminivirus)
Dioscorea alata virus (Potyviridae, potyvirus)
Dioscorea bacilliform virus (DBV) (Caulimoviridae, badnavirus)
Dioscorea green banding mosaic virus (Potyviridae, potyvirus)
Dodonaea yellows-associated virus
Dolichos yellow mosaic virus (DoMYV) (Geminiviridae, bigeminivirus)
Dulcamara mottle virus (DuMV) (Tymovirus)
Eggplant green mosaic virus (EGMV) (Potyviridae, potyvirus)
Eggplant mottled dwarf virus (EMDV) (Rhabdoviridae, nucleorhabdovirus)
Elderberry virus (EV) (Carlavirus 1)
Epirus cherry virus (EpCV) (Ourmiavirus)
Erysimum latent virus (ErLV) (Tymovirus)
Echinochloa ragged stunt virus (ERSV) (Reoviridae, Oryzavirus)
Elm mottle virus (EMoV) (Bromoviridae, Ilarvirus)
European wheat striate mosaic virus (EWSMV) (Tenuivirus)
Euphorbia mosaic virus (EuMV) (Geminiviridae, bigeminivirus)
Euphorbia ringspot virus (EuRV) (Potyviridae, potyvirus)
Faba bean necrotic yellows virus (FBNYV) (Nanovirus)

Festuca leaf streak virus (FLSV) (Rhabdoviridae, cytorhabdovirus)
Fig virus S (FVS) (Carlavirus)
Figwort mosaic virus (FMV) (Caulimoviridae, caulimovirus)
Foxtail mosaic virus (FoMV) (Potexvirus)
Frangipani mosaic virus (FrMV) (Tobamovirus)
French bean mosaic virus
Freesia leaf necrosis virus (FLNV) (Varicosavirus)
Freesia mosaic virus (FreMV) (Potyviridae, Potyvirus)
Galinsoga mosaic virus (GaMV) (Tombusviridae, carmovirus)
Glycine mosaic virus (GMV) (Comoviridae, Comovirus)
Grapevine Algerian latent virus (GALV) (Tombusviridae, Tombusvirus)
Grapevine asteroid mosaic virus
Grapevine berry inner necrosis virus (GINV) (Trichovirus)
Grapevine Bulgarian latent virus (GBLV) (Comoviridae, Nepovirus)
Grapevine chrome mosaic virus (GCMV) (Comoviridae, Nepovirus)
Grapevine leafroll-associated virus 1 (GLRAV-1)(Closteroviridae, Ampelovirus)
Grapevine stem pitting associated closterovirus (Closteroviridae, Closterovirus)
Grapevine Tunisian ringspot virus (GTRSV) (Comoviridae, Nepovirus)
Grapevine fanleaf virus (GFLV) (Comoviridae, nepovirus)
Grapevine fleck virus (GFkV)
Grapevine stunt virus
Grapevine vein necrosis virus
Grapevine virus A (GVA) (Betaflexiviridae, Vitivirus)
Grapevine virus B (GVB) (Vitivirus, Flexiviridae)
Grapevine yellow speckle viroid (GYSVd) (Pospiviroidae, Apscaviroid)
Groundnut chlorotic leaf streak virus
Groundnut chlorotic spotting virus
Groundnut rosette assistor virus (GRAV) (Luteoviridae, Enamovirus)
Groundnut rosette virus (GRV) (Umbravirus)
Groundnut eyespot virus (GEV) (Potyviridae, Potyvirus)
Guar symptomless virus (GSLV) (Potyviridae, Potyvirus)
Guar top necrosis virus
Guinea grass mosaic virus (GGMV) (Potyviridae, Potyvirus)
Helenium virus S (HVS) (Carlavirus)
Helenium virus Y (HVY) (Potyviridae, Potyvirus)
Henbane mosaic virus (HMV) (Potyviridae, Potyvirus)
Heracleum latent virus (HLV) (Vitivirus)
Hibiscus latent ringspot virus (HLRSV) (Comoviridae,)nepovirus
Hibiscus chlorotic ringspot virus (HCRSV) (Tombusviridae, Carmovirus)
Hippeastrum mosaic virus

Honeysuckle latent virus (LnLV) (Carlavirus)
Hop American latent (AHLV) (Carlavirus)
Hop latent virus (HpLV) (Carlavirus)
Hop mosaic virus (HpMV) (Carlavirus)
Hop trefoil cryptic virus 1 (HTCV-1) (Partitiviridae, alphacryptovirus)
Hop trefoil cryptic virus 2 (HTCV-2) (Partitiviridae, betacryptovirus)
Hop trefoil cryptic virus 3 (HTCV-3) (Partitiviridae, alphacryptovirus)
Hop stunt viroid (HpSVd) (Hostuviroid, Pospiviroidae)
Hordeum mosaic virus (HoMV) (Potyviridae, Potyvirus)
Humulus japonicus virus (HJV) (Bromoviridae, ilarvirus)
Hyacinth mosaic virus (HyaMV) (Potyviridae, Potyvirus)
Hydrangea mosaic virus (HdMV) (Bromoviridae, ilarvirus)
Hydrangea ringspot virus (HRSV) (Potexvirus)
Horsegram yellow mosaic virus (HgYMV) (Geminiviridae, Begomovirus)
Iris fulva mosaic virus (IFMV) (Potyviridae, Potyvirus)
Iris Japanese necrotic ring virus
Iris mild mosaic virus (IMMV) (Potyviridae, Potyvirus)
Iris severe mosaic virus (ISMV) (Potyviridae, Potyvirus)
Indian peanut clump virus (IPCV) (Pecluvirus)
Indonesian soybean dwarf virus (ISDV) (Luteoviridae, Enamovirus)
Iranian maize mosaic virus
Jatropha mosaic virus (JMV) (Geminiviridae, bigeminivirus)
Johnsongrass mosaic (JGMV) (Potyviridae, Potyvirus)
Kalanchoe isometric virus
Kalanchoe latent virus (KLV) (Carlavirus)
Kalanchoe top-spotting virus (KTSV) (Caulimoviridae, badnavirus)
Kennedya yellow mosaic virus (KYMV) (Tymovirus)
Kennedya virus Y (KVY) (Potyviridae, Potyvirus)
Kyuri green mottle mosaic virus (KGMMV) (Tobamovirus)
Konjac mosaic virus (KoMV) (Potyviridae, Potyvirus)
Kober stem grooving
Lamium mild mottle virus (LMMV) (Comoviridae, fabavirus)
Lato River virus (LRV) (Tombusviridae, tombusvirus)
Leek yellow stripe virus (LYSV) (Potyviridae, potyvirus)
Lettuce big-vein virus (LBVV) (Varicosavirus)
Lettuce mosaic virus (LMV) (Potyviridae, potyvirus)
Lettuce necrotic yellows virus (LNYV) (Rhabdoviridae, cytorhabdovirus)
Lettuce speckles mottle virus (LSMV) (Umbravirus)
Lilac chlorotic leafspot virus (LCLV) (Capillovirus)
Lilac mottle virus (LiMV) (Carlavirus)

Lilac ring mottle virus (LRMV) (Bromoviridae, ilarvirus)
Lily mottle virus (LMoV) (Potyviridae, potyvirus)
Lily virus X (LVX) (Potexvirus)
Lettuce infectious yellows virus (LIYV) (Closteroviridae, Crinivirus)
Limbean golden mosaic virus (LGMV) (Geminiviridae, Begomovirus)
Little cherry virus (LChV) (Closteroviridae, Closterovirus)
LN33 stem grooving
Lucerne Australian symptomless virus (LASV) (Comoviridae, Nepovirus)
Lucerne vein yellowing virus
Lucerne transient streak virus (LTSV) (Sobemovirus)
Lychnis ringspot virus (LRSV) (Hordeivirus)
Maclura mosaic virus (MacMV) (Potyviridae, macluravirus)
Maize chlorotic dwarf virus (MCDV) (Sequiviridae, waikavirus)
Maize chlorotic mottle virus (MCMV) (Tombusviridae, machlomovirus)
Maize dwarf mosaic virus (MDMV) (Potyviridae, potyvirus)
Maize line virus
Maize mosaic virus (MMV) (Rhabdoviridae, nucleorhabdovirus)
Maize rayado fino virus (MRFV) (Marafivirus)
Maize white line mosaic virus (MWLMV)
Maize mottle/chlorotic stunt virus
Maize rough dwarf virus (MRDV) (Reoviridae, Fijivirus)
Maize streak virus (MSV) (Geminiviridae, Mastrevirus)
Malvastrum mottle virus
Malva vein clearing virus (MVCV) (Potyviridae, potyvirus)
Marigold mottle virus (MaMoV) (Potyviridae, potyvirus)
Melandrium yellow fleck virus (MYFV) (Bromoviridae, bromovirus)
Melon leaf curl virus (MLCV) (Geminiviridae, bigeminivirus)
Melon necrotic spot virus (MNSV) (Tombusviridae, carmovirus)
Melon Ourmia virus (OuMV) (Ourmiavirus)
Melon rugose mosaic virus (MRMV) (Tymovirus)
Milk vetch dwarf virus (MDV) (Nanovirus)
Mimosa mosaic virus
Mirabilis mosaic virus (MiMV) (Caulimovirus)
Miscanthus streak virus (MiSV) (Geminiviridae, monogeminivirus)
Mulberry latent virus (MLV) (Carlavirus)
Mulberry ringspot virus (MRSV) (Comoviridae, nepovirus)
Mung bean yellow mosaic virus (MYMV) (Geminiviridae, bigeminivirus)
Muskmelon vein necrosis virus (MuVNV) (Carlavirus)
Myrobalan latent ringspot virus (MLRSV) (Comoviridae, nepovirus)
Narcissus latent virus (NLV) (Potyviridae, macluravirus)

Narcissus mosaic virus (NMV) (*Potexvirus*)
Narcissus yellow stripe virus (*Potyviridae*, *potyvirus*)
Natsudaikai dwarf virus (NDV) (*Sadwavirus*)
Neckar River virus (NRV) (*Tombusviridae*, *tombusvirus*)
Nerine latent virus (NeLV) (*Carlavirus*)
Nerine virus (NV) (*Potyviridae*, *potyvirus*)
Nerine virus X (NVX) (*Potexvirus*)
Northern cereal mosaic virus (NCMV) (*Rhabdoviridae*, *Cytorhabdovirus*)
Oak ringspot virus
Oat blue dwarf virus (OBDV) (*Marafivirus*)
Oat golden stripe virus (OGSV) (*Furovirus*)
Oat mosaic virus (OMV) (*Potyviridae*, *bymovirus*)
Oat necrotic mottle virus (ONMV) (*Potyviridae*, *rymovirus*)
Oat red streak mosaic virus
Oat sterile dwarf virus (OSDV) (*Reoviridae*, *Fijivirus*)
Okra leaf-curl virus (OLCV) (*Geminivirus*, *bigeminivirus*)
Okra mosaic virus (OkMV) (*Tymovirus*)
Olive latent ringspot virus (OLRSV) (*Comoviridae*, *nepovirus*)
Ononis yellow mosaic virus (OYMV) (*Tymovirus*)
Opuntia Sammons' virus (SOV) (*Tobamovirus*)
Ornithogalum mosaic virus
Pangola stunt virus (PaSV) (*Reoviridae*, *Fijivirus*)
Panicum streak virus (PanSV) (*Geminiviridae*, *monogeminivirus*)
Papaya leaf curl virus (PaLCuV) (*Begomovirus*, *Geminiviridae*)
Papaya meleira virus (PMeV)
Papaya mosaic virus (PapMV) (*Potexvirus*, *Flexiviridae*)
Paprika mild mottle virus (PaMMV) (*Tobamovirus*)
Parietaria mottle virus (PmoV) (*Bromoviridae*, *ilarvirus*)
Parsnip leafcurl virus
Parsnip mosaic virus (ParMV)
Parsnip yellow fleck virus (PYFV) (*Sequiviridae*, *sequivirus*)
Paspalum striate mosaic virus (PSMV) (*Geminiviridae*, *monogeminivirus*)
Passiflora latent virus (PLV) (*Carlavirus*)
Passiflora South African virus (*Potyviridae*, *potyvirus*)
Passiflora ringspot virus (PFRSV) (*Potyviridae*, *potyvirus*)
Passionfruit woodiness virus (PWV) (*Potyviridae*, *potyvirus*)
Passionfruit yellow mosaic virus (PaYMV) (*Tymovirus*)
Patchouli mosaic virus (*Potyviridae*, *potyvirus*)
Pea early browning virus (PEBV) (*Tobravirus*)
Pea enation mosaic virus-1 (PEMV-1) (*Luteovirus*)

Pea enation mosaic virus-2 (PEMV-2) (Umbravirus)
Pea mild mosaic virus (PmiMV) (Comoviridae, comovirus)
Pea mosaic virus (Potyviridae, potyvirus)
Peanut chlorotic streak virus (PCSV) (Caulimoviridae, caulimovirus)
Peanut green mosaic virus (Potyviridae, potyvirus)
Peanut stunt virus (PSV) (Bromoviridae, cucumovirus)
Peanut yellow spot virus (PeYMV) (Tospovirus)
Peach American mosaic virus
Peach latent mosaic viroid (PLMVd)
Peach mosaic virus (PMV) (Trichovirus)
Peach rosette mosaic virus (PRMV) (Comoviridae, Nepovirus)
Peanut clump virus (PCV) (Pecluvirus)
Pear blister canker viroid (PBCVd) (Pospiviroidae, Apscaviriod)
Pear necrotic spot virus
Pineapple bacilliform virus (PBV) (Badnavirus, Caulimoviridae)
Pineapple mealybug wilt-associated virus-1 (PMWaV-1) (Ampelovirus, Closteroviridae)
Pineapple mealybug wilt-associated virus-2 (PMWaV-2) (Ampelovirus, Closteroviridae)
Plum American line pattern virus (APLPV) (Ilarvirus, Bromoviridae)
Plum bark split virus
Plum pox virus (PPV) (Potyviridae, Potyvirus)
Plum rusty blotch
Potato black ringspot virus (PBRSV) (Comoviridae, Nepovirus)
Potato deforming mosaic virus
Potato mop-top virus (PMTV) (Pomovirus)
Potato virus T (PVT) (Trichovirus)
Potato virus U (PVU) (Comoviridae, Nepovirus)
Potato virus V (PVV) (Potyviridae, Potyvirus)
Potato yellow dwarf virus (PYDV) (Rhabdoviridae, Nucleorhabdovirus)
Potato yellow vein virus (PYVV) (Closteroviridae, Crinivirus)
Potato yellowing virus
Prune dwarf virus (PDV) (Bromoviridae, Ilarvirus)
Prunus necrotic ringspot virus (PNRSV) (Bromoviridae, Ilarvirus)
Raspberry leaf curl virus
Raspberry ringspot virus (RpRSV) (Comoviridae, Nepovirus)
Red clover mottle virus (RCMV) (Comoviridae, Comovirus)
Rice gall dwarf virus (RGDV) (Reoviridae, Phytoreovirus)
Rice tungro bacilliform virus (RTBV) (Caulimoviridae, Rice tungro bacilliform-like virus)
Rice tungro spherical virus (RTSV) (Sequiviridae, Waikavirus)
Rice yellow mottle virus (RYMV) (Sobemovirus)
Rupestris stem pitting-associated virus (Foveavirus, Flexiviridae)

Squash leaf curl virus (SLCV) (Geminiviridae, Begomovirus)
Squash mosaic virus (SqMV) (Comoviridae, Comovirus)
Strawberry latent ringspot virus (SLRSV) (Sadwavirus)
Strawberry veinbanding virus (SVBV) (Caulimoviridae, Caulimovirus)
Sugarcane yellow leaf virus (ScYLV) (Polerovirus, Luteoviridae)
Tobacco rattle virus (TRV) (Tobravirus)
Tobacco ringspot virus (TRSV) (Comoviridae, Nepovirus)
Tobacco mosaic virus (TMV) (Tobamovirus)
Tobacco necrosis virus
Tobacco streak virus (TSV) (Ilarvirus, Bromoviridae)
Tomato black ring virus (TBRV) (Comoviridae, Nepovirus)
Tomato bushy stunt virus (TBSV) (Tombusvirus, Tombusviridae)
Tomato mottle virus (ToMoV) (Geminiviridae, Begomovirus)
Tomato ringspot virus (ToRSV) (Comoviridae, Nepovirus)
Tulare apple mosaic virus (TAMV) (Ilarvirus, Bromoviridae)
Tulip breaking virus
Ullucus virus C (UVC) (Comoviridae, comovirus)
Ullucus mild mottle virus (UMMV) (Tobamovirus)
Ullucus mosaic virus (UMV) (Potyviridae, potyvirus)
Urd bean leaf crinkle virus
Vallota mosaic virus (ValMV) (Potyviridae, potyvirus)
Vanilla mosaic virus (VanMV) (Potyviridae, potyvirus)
Vanilla necrosis virus (Potyviridae, potyvirus)
Velvet tobacco mottle virus (VTMoV) (Sobemovirus)
Viola mottle virus (VMV) (Potexvirus)
Voandzeia distortion mosaic virus (Potyviridae, potyvirus)
Voandzeia necrotic mosaic virus (VNMV) (Tymovirus)
Watercress yellow spot virus (WYSV)
Watermelon chlorotic stunt virus (WmCSV) (Geminiviridae, bigeminivirus)
Watermelon curly mottle virus (WmCMV) (Geminiviridae, bigeminivirus)
Watermelon mosaic virus 2 (WMV-2) (Potyviridae, potyvirus)
Wheat American striate mosaic virus (WASMV) (Rhabdovirus, ucleorhabdovirus)
Wheat yellow leaf virus (WYLV) (Closteroviridae, Closterovirus)
Wheat dwarf virus (WDV) (Geminiviridae, monogeminivirus)
Wheat soil-borne mosaic virus (SBWMV) (Furovirus)
Wheat streak mosaic virus (WSMV) (Potyviridae, rymovirus)
Wheat spindle streak mosaic virus (WSSMV) (Potyvirida, bymovirus)
Wheat yellow mosaic virus (WYMV) (Potyviridae, bymovirus)
White clover mosaic virus (WClMV) (Potexvirus)
Wild cucumber mosaic virus (WCMV) (Tymovirus)

Wild potato mosaic (WPMV) (Potyviridae, Potyvirus)

Wineberry latent virus (WLV)

Wisteria vein mosaic virus (WVMV) (Potyviridae, Potyvirus)

Yam mosaic virus (YMV) (Potyviridae, Potyvirus)

Zucchini yellow fleck virus (ZYFV) (Potyviridae, Potyvirus)

備註：以上病毒之媒介有害生物亦一併列入管制

中華民國輸入植物或植物產品檢疫規定乙、有條件輸入植物或植物產品之檢疫條件第十一點輸入貨品使用之木質包裝材料檢疫條件第二點、第三點

二、木質包裝材輸出前應在輸出國政府檢疫機關監督下，依國際植物保護公約所發布之國際植物防疫檢疫措施標準第十五號規定之下列檢疫處理方式之一進行處理：

(一) 溴化甲烷(Methyl bromide, CH₃Br)燻蒸：最低溫度不得低於 10℃，燻蒸時間最少應為 24 小時。

溫度	24 小時濃度時間積 CT(g.h/ m ³)	處理 24 小時後最低 濃度(g/m ³)
21℃以上	650	24
16℃以上，未 達 21℃	800	28
10℃以上，未 達 16℃	900	32

符合上表之燻蒸劑量範例如下：

溫度	劑量 (g/ m ³)	最低濃度(g/m ³)		
		2 小時	4 小時	24 小時
21℃以上	48	36	31	24
16℃以上，未 達 21℃	56	42	36	28
10℃以上，未 達 16℃	64	48	42	32

(二) 熱處理(Heat treatment)：木質包裝材中心溫度達到 56℃，處理三十分鐘以上。

(三) 射頻加熱處理(Heat treatment using dielectric heating)：以微波或無線電波加熱木質包裝材中心及表面溫度達到 60℃，處理一分鐘以上。


(四) 硫酰氟(Sulphuryl fluoride, SO₂F₂)燻蒸：最低溫度不得低於 20℃，燻蒸時間最少應為 24 小時。

溫度及時間	濃度時間積 CT(g.h/ m ³)	處理後最低 濃度(g/m ³)
30℃以上處理 24 小時	1400	41
20℃以上，未達 30℃ 處理 48 小時	3000	29

符合上表之燻蒸劑量範例如下：

溫度	劑量 (g/ m ³)	最低濃度(g/m ³)						
		0.5 小時	2 小時	4 小時	12 小時	24 小時	36 小時	48 小時
30℃以上	82	87	78	73	58	41	-	-
20℃以上， 未達 30℃	120	124	112	104	82	58	41	29

三、木質包裝材進行檢疫處理後，輸出前應蓋有符合國際植物保護公約所發布之 國際植物防疫檢疫措施標準第十五號規定章戳，其樣式範例說明如下：



標記說明：

1. IPPC：《國際植物保護公約》的英文縮寫符號
2. XX：國際標準化組織(ISO)規定的 2 個字母國家編號
3. 000：輸出國官方植物檢疫機構批准的木質包裝生產者的獨特數位編號
4. YY：國際植物保護公約所採用的批准措施，如溴化甲烷燻蒸-MB；熱處理-HT；射頻加熱-DH 及硫醯氟燻蒸-SF