O MIN



LIST OF IMPORTANT COMMERCIAL CROP VARIETIES
AVAILABLE FOR INTERNATIONAL EXCHANGE

TAIPEI, TAIWAN, REPUBLIC OF CHINA OCTOBER 1972

CHINESE-AMERICAN

JOINT COMMISSION ON RURAL RECONSTRUCTION

Plant Industry Series No. 33

LIST OF IMPORTANT COMMERCIAL CROP VARIETIES AVAILABLE FOR INTERNATIONAL EXCHANGE



TAIPEI, TAIWAN, REPUBLIC OF CHINA
OCTOBER 1972

CONTENTS

	Page
Ι.	Rice1
п.	Other Grain Crops 4
ш.	Root Crops 6
IV.	Oil Crops7
v.	Fiber Crops 8
VI.	Green Manure Crops 9
VII.	Forage Crops 9
VIII.	Vegetables 9
IX.	Stimulants
Χ.	Flowers

Please direct your inquiries to:
International Seed Exchange Center
Taiwan Agricultural Research Institute
Roosevelt Road, 4th Section
Taipei, Taiwan, Republic of China

FOREWORD

This is a list of important commercial crop varieties whose seeds and seedlings are available for international exchange. It was first published in 1965 to promote international cooperation in agricultural improvement through the exchange of planting materials between the Republic of China and other countries of the world.

In the last seven years, a series of new crop varieties has been systematically bred, tested, and established in Taiwan. These new varieties and many native ones all have good genetical traits and thus can be used as dependable material for breeding programs.

This pamphlet is prepared by Messrs. C. I. Lin and C. C. Chen, Seed Technology Specialists of this Division, in cooperation with agricultural experts of the Taiwan Provincial Department of Agriculture and Forestry. It is hoped that this revised edition will prove to be even more useful and help to stimulate still further the free exchange of crop seeds and seedlings with interested parties, thus indirectly accelerating agricultural production and satisfying the demands of consumers for high quality farm products.

c. W. Huang

C. H. Huang, ChiefPlant Industry DivisionJoint Commission on RuralReconstruction

LIST OF IMPORTANT COMMERCIAL CROP VARIETIES AVAILABLE FOR INTERNATIONAL EXCHANGE

中華民國臺灣區可供國際間學術交換之農作物品種(品系)清單

- I.稻、Rice (Oryza sativa L. 禾本科 Gramineae)
 - A. 水稻 Paddy Rice
 - 1. Japonica type (Ponlai rice) 種稻 (蓬萊稻)
 - (1) Tainung No. 38 (臺農38號)
 - (2) Tainung No. 45 (臺農45號)
 - (3) Tainung No. 60 (臺農60號)
 - (4) Tainung Sel. No. 3 (臺農選 3 號)
 - (5) Tainung-yu No. 61 (臺農育61號)
 - (6) Taipei No. 127 (臺北127號)
 - (7) Taipei No. 177 (臺北177號)
 - (8) Taipei No. 306 (臺北306號)
 - (9) Taipei No. 308 (臺北308號)
 - (10) Taipei No. 309 (臺北309號)
 - (11) Taipei No. 310 (臺北310號)
 - (12) Taipei No. 311 (臺北311號)
 - (13) Hsinchu No. 4 (新竹4號)
 - (14) Hisnchu No. 56 (新竹56號)

- (15) Hsinchu No. 61 (新竹61號)
- (16) Hsinchu No. 62 (新竹62號)
- (17) Hsinchu No. 63 (新竹63號)
- 18) Taichung Glutinous No. 46 (臺中糯46號)
- (19) Taichung Spe. No. 6 (臺中特 6 號)
- (20) Taichung No. 65 (臺中65號)
- (21) Taichung No. 114 (臺中114號)
- ②2 Taichung No. 122 (臺中122號)
- (23) Taichung No. 150 (臺中150號)
- (24) Taichung No. 153 (臺中153號)
- (25) Taichung No. 155 (臺中155號)
- 26 Taichung No. 160 (臺中160號)
- ②7) Taichung No. 170 (臺中170號)
- (28) Taichung No. 171(臺中171號)
- (29) Taichung No. 172 (臺中172號)
- ③0) Taichung No. 173 (臺中173號)
- (31) Taichung No. 176 (臺中176號)

- (32) Taichung No. 178(臺中178號)
- (33) Taichung No. 179 (臺中179號)
- ③4) Taichung No. 180 、 (臺中180號)
- (35) Taichung No. 184 (臺中184號)
- (36) Taichung No. 186 (臺中186號)
- ③7) Kwang-fu No. 401 (光復401號)
- (38) Chianung No. 242 (嘉農242號)
- (39) Chianung-yu No. 280 (嘉農育280號)
- (40) Chianung-yu No. 439 (嘉農育439號)
- (41) Chianan No. 8 (嘉南8號)
- (42) Tainan No. 1 (臺南1號)
- (43) Tainan No. 3 (臺南3號)
- (44) Tainan No. 5 (臺南5號)
- (45) Kaohsiung No. 22 (高雄22號)
- (46) Kaohsiung No. 24 (高雄24號)
- (47) Kaohsiung No. 27 (高雄27號)
- (48) Kaohsiung No. 53 (高雄53號)
- (49) Kaohsiung No. 64 (高雄64號)
- (50) Kaohsiung No. 68 (高雄68號)

- (51) Kaohsiung No. 136 (高雄136號)
- (52) Kaohsiung No. 137 (高雄137號)
- (53) Kaohsiung No. 138 (高雄138號)
- (54) Taitung No. 16 (臺東16號)
- (55) Taitung No. 24 (臺東24號)
- (56) Taitung No. 25 (臺東25號)
- ⑤7) Taitung No. 66 (臺東66號)
- (多) Taitung No. 69 (臺東69號)
- (59) Taitung No. 73 (臺東73號)
- (60) Taitung-yu No. 83 (臺東育83號)
- (61) Hualien No. 18 (花蓮18號)
- 2. Indica type (Taiwan's native rice) 秈稻 (臺灣在來稻)
 - (1) Pai-k'o-chin-yu (白殼清油)
 - (2) Pai-k'o-tze (白殼仔)
 - (3) Pai-k'o-yuan-li (白殼圓粒)
- (4) Pai-me-fen (白米粉)
 - (5) Ching-kuo-chan (菁果占)
 - (6) Chuan-lu (潛羅)
 - (7) Ch'u-tzu (粬仔)

- (8) Chung-lin-chung (中林種)
- (9) Tuan-kuang-hua-lou (短廣花螺)
- (10) Ti-chueh-min-tang
- * (低脚敏黨)
- (11) Ti-chueh-wu-chien (低脚烏尖)
- (12) Ko-tzu (格仔)
- (13) Hei-tu No. 4 (黑督四號)
- (14) Sheau-nan-shien (小南和)
- (15) Hung-chueh-chu (紅脚朮)
- (16) **Hua-lou** (花螺)
- (17) Ai-chueh-chien (矮脚尖)
- (18) Ai-chueh-tzu (矮脚仔)
- (19) I-kung-pao (蟻公包)
- ② Kao-chueh-liu-chou (高脚柳州)
- ②1) Kaohsiung I-kung-pao (高雄蟻公包)
- ② Kaohsiung Ta-li-ching-yu (高雄大粒清油)
- ② Kuan-yin-chan No. 18 (觀音粘18號)
- ② Kun-san-wu-shiang-keng (崑山五香梗)
- ②5)Kwai-chan (快占)
- (26) Mao-tzu-tou (帽子頭)

- ②7 Linsun-ching-chan (林森青占)
- ②8) Liu-chou (柳州)
- (29) Liu-tou-tzu (柳頭仔)
- ③0) Man-tzu (蔓仔)
- ③1) Min-tang (敏堂)
- ③2) Mung-hua-chu (芒花朮)
- (33) Niao-shu-ya-chu (鳥鼠牙朮)
- ③ Niao-yao (鳥咬)
- (35) Oh-lan-chu (鵝卵朮)
- (36) Pai-k'o-chu (白殼朮)
- (37) Shuang-chiang (霜降)
- (38) Sun-li-shien (勝利和)
- (39) Hsieh-lo (暹羅)
- 40 Taichung Native No. 1 (臺中在來一號)
- (41) Taichung-shien No. 2 (臺中和二號)
- (42) Taichung Pai-k'o (臺中白殼)
- (43) Taichung Wu-k'o (臺中鳥殼)
- (44) Taichung Wu-chien No. 2 (臺中烏尖二號)
- 45) Tainan Ta-pai (臺南大白)

- (46) Taipei Liu-tou-tzu (臺北柳頭仔)
- (47) Taipei Wu-k'o (臺北烏殼)
- (48) Taitung Wu-chan
- な (臺東烏占)
- (49) Taitung Wu-li (臺東烏粒)
- (50) Tien-lai (天來)
- (51) Tsai-yuan-chung (菜園種)
- (52) Tui-yen-hsing-chu (對鹽性朮)
- 53) Wan-li-shien (萬利和)
- 54) Wu-k'o-ching-yu (鳥殼清油)
- (55) Wu-chien (烏尖)
- (56) Wu-li (鳥粒)
- (57) Ya-lun (亞崙)
- (58) Yuan-li (圓粒)
- (59) Yung-an-fen-lung-tsao (永安分龍早)
- (60) Kaohsiung Shien No. 2 (高雄和二號)
- (61) Kaohsiung Shien-yu No. 11 (高雄秈育11號)
- ⑥ Kaohsiung Shien-yu No. 12 (高雄秈育12號)
- (3) Hsinchu Ai-chueh-chien (新竹矮脚尖)
- B. 陸稻 Upland Rice
 - 1. 稉稻 Japonica type

- (1) Tainan No. 1 (臺南1號)
- (2) Tainan No. 2 (臺南2號)
- (3) Tunglu No. 1 (東陸1號)
- (4) Tunglu No. 2 (東陸2號)
- (5) Tunglu No. 3 (東陸3號)
- (6) Tunglu 160 (東陸160)
- (7) Tunglu 286 (東陸286)
- (8) Tunglu 328 (東陸328)
- (9) Tunglu 332 (東陸332)
- (10) Tainung Sel. No. 1 (臺農選1號)
- (11) Tainung Sel. No. 2 (臺農選2號)
- 2. Indica type 籼稻
 - (1) Pai-k'o-tsao (白殼早)
 - (2) Hung-chueh-ching-liu (紅脚淸流)
 - (3) Pu-tsao (補早)
- Ⅱ. 雜糧作物 Other Grain Crops
 - 1. 小麥Wheat (Triticum vulgare, Vill., 禾本科 Gramineae)
 - (1) Taichung No. 2 (臺中2號)
 - (2) Taichung No. 23 (臺中23號)
 - (3) Taichung No. 29 (臺中29號)

(4) Taichung No. 31 (12) Tainan DMR Composite #6 (臺中31號) (5) Taichung No. 32 (13) Tainan DMR Composite #7 (臺中32號) (6) Taichung No. 33 (14) Tainan DMR Composite #8 ·(臺中33號) 2. 高梁Sorghum (Sorghum rulgare (15) Tainan DMR Composite #9 Pers., 禾本科 Gramineae) (1) Kinmen Sel. No. 3 (16) Tainan DMR Composite #10 (金選三號) (2) Taichung Hybrid No. 1 (17) Tainan DMR Composite #11 (臺中雜交一號) (3) Taichung Hybrid No. 3 (18) Tainan DMR Composite #12 (臺中雜交三號) 3. 玉米 Corn (Zea mays L., 禾本 (19) Tainan DMR Composite #13 科) (1) Tainan Hybrid No. 5 (20) Tainan DMR Composite #14 (臺南雜交五號) (2) Tainan Hybrid No. 9 (21) Tainan DMR Composite #15 (臺南雜交九號) (3) Tainan Hybrid No. 11 (22) Tainan DMR Composite #16 (臺南雜交十一號) (4) Tainan Hybrid No. 12 (23) Tainan DMR Composite #17 (臺南雜交十二號) (5) Tainan Sel. No. 10 (Open-(24) Tainan DMR Composite #18 pollinated)(臺南選十號) (6) Tainan DMR Hybrid 336 (25) Tainan DMR Composite #19 (7) Tainan DMR Composite #1 (26) Tainan DMR Composite #20 (8) Tainan DMR Composite #2 (27) Tainan DMR Composite #21 (9) Tainan DMR Composite #3 (28) Tainan DMR Composite #22 (10) Tainan DMR Composite #4 (29) Tainan DMR Composite #23

(30) Tainan DMR Composite #24

(11) Tainan DMR Composite #5

- (31) Tainan DMR Composite #25
- (32) Tainan DMR Composite #26
- (33) Tainan DMR Composite #27
- (34) Tainan DMR Composite #28
- (35) Tainan DMR Composite #29
- (36) Tainan DMR Composite #30
- 4. 大麥Barley (Hordeum sativum, 禾本科 Gramineae)
 - (1) Nung-yuan No. 1 (農院一號)
 - (2) Nung-yuan No. 2 (農院二號)
 - (3) Nung-yuan No. 4 (農院四號)
- 5. 小米 Millet (Setaria italica, 禾本科 Gramineae)
 - (1) Taitung No. 1 (臺東1號)
 - (2) Taitung No. 2 (臺東2號)
 - (3) Taitung No. 3 (臺東3號)
 - (4) Taitung No. 4 (臺東4號)
 - (5) Taitung No. 5 (臺東5號)
 - (6) Taitung No. 6 (臺東6號)
 - (7) Taichung Sel. No. 1 (臺中選1號)
- 6. 綠豆Mung bean (Phaseolus radialus L. var. typicus Prain) 荳科 Leguminosae

- Ⅲ. 根類作物 Root Crops 甘藷 Sweet Potato (Ipomoea batatas Poir,旋花科 Convolvulaceae)
 - (1) Hsinchu No. 1 (新竹1號)
 - (2) Hsinchu No. 2 (新竹2號)
 - (3) Tainan No. 14 (臺南14號)
 - (4) Tainung No. 3 (臺農3號)
 - (5) Tainung No. 10 (臺農10號)
 - (6) Tainung No. 17 (臺農17號)
 - (7) Tainung No. 25 (臺農25號)
 - (8) Tainung No. 27 (臺農27號)
 - (9) Tainung No. 31 (臺農31號)
 - (10) Tainung No. 44 (臺農44號)
 - (11) Tainung No. 45 (臺農45號)
 - (12) Tainung No. 48 (臺農48號)
 - (13) Tainung No. 53 (臺農53號)
 - (14) Tainung No. 57 (臺農57號)
 - (15) Tainung No. 58 (臺農58號)
 - (16) Tainung No. 60 (臺農60號)
 - (17) Tainung No. 61 (臺農61號)

- (18) Okinawa 100 (冲繩100號)
- (19) White Holland (白荷蘭)
- (20) Iron-wire Vine (鐵絲藤)
- ②1) 70-day Early (七十日早)
- ② Green Vine (青藤仔)
- ② Red-tuber-tail (紅心尾)
- ②4 Taichung No. 1 (臺中1號)

Ⅳ. 油料作物 Oil Crops

- 1. 大豆 Soybean (Glycine max, Merr. 荳科 Leguminosae)
 - (1) Sankuo (三國)
 - (2) Shih-Shih (十石)
 - (3) Palmetto (百美豆)
 - (4) Acadian (愛家豆)
 - (5) Wakashima (和歌鳥)
 - (6) Tainung No. 2R (臺農2號)
 - (7) Tainung No. 3 (臺農3號)
 - (8) Tainung No. 4 (臺農4號)
 - (9) Kaohsiung No. 3 (高雄3號)
 - (10) NTU Ks No. 5 (臺大高雄5號)

- (11) Chunghsing No. 1 (中與1號)
- (12) Chunghsing No. 2 (中與2號)
- (13) Chunghsing No. 3 (中與3號)
- (4) Taitung Black Bean (臺東烏豆)
- 2. 落花生Peanut (Arachis hypo-gaea, L., 荳科 Leguminosae)
 - (1) Tainung No. 1 (臺農1號)
 - (2) Tainung No. 2 (臺農2號)
 - (3) Tainung No. 3 (臺農3號)
 - (4) Tainung No. 4 (臺農4號)
 - (5) Tainung Sel. No. 9 (臺農選9號)
 - (6) Li-chi-tzu (立枝仔)
 - (7) Penghu No. 2 (澎湖2號)
 - (8) Tainan No. 6 (臺南6號)
 - (9) Tainan No. 7 (臺南7號)
 - (10) Tainan Sel. No. 9(臺南選9號)
 - (11) Lungtan Yu-tou (龍潭油豆)
 - (12) Spanish White (西班牙白)
 - (13) Taitung Yu-tou (臺東油豆)
 - (14) Tsingtao (青島)

- (15) Yuan-yang-tou (鴛鴦豆)
- 3. 油菜 Rape (B. napus var. oleitera, 十字花科 Cruciterae)
 - (1) Hsinchu Spe. No. 1 (新竹特1號)
 - (2) Hsinchu Sel. No. 2 (新竹選2號)
 - (3) Taichung Spe. No. 1 (臺中特1號)
 - (4) Taichung Sel. No. 2 (臺中選2號)
- 4. 芝蔴 Sesame (Sesamum indicum Linn., 胡蔴科 Pedaliaceae)
 - (1) Tainan Black No. 1 (臺南黑一號)
 - (2) Black Sesame (黑芝蔴)
 - (3) White Sesame (白芝蔴)
- V. 纖維作物 Fiber Crops
 - 1. 棉花 Cotton (Gossypium spp., 錦葵科 Malvaceae)
 - (1) Empire (恩派)
 - (2) Austin (奥史汀)
 - (3) Rex (勒克史)
 - (4) Stoneville 7A
 - (5) R 231
 - $(6) \ 35/1$
 - 2. 鐘麻Kenaf (Hibiscus cannabinus L., 錦葵科 Malvaceae)
 - (1) Belle Grade No. 7 (培格7號)

- (2) Tainung No. 1 (臺農1號)
- (3) Cuba C (古巴 C)
- 3. 泰國麻 Paw Keo (Hibiscus sabdariffa var. altissima 錦葵科 Malvaceae)
- 4. 黃麻Jute (Corchorus capsularis Linn. 田麻科 Tiliaceae)
 - (1) Tainung No. 1 (臺農1號)
 - (2) Tainung No. 2 (臺農2號)
 - (3) Tainung No. 3 (臺農3號)
 - (4) Shuishang Green Bark (水上青皮)
 - (5) Tainung Sel. No. 1 (臺農選1號)
 - (6) Taichung Spe. No. 1 (臺中特1號)
 - (7) Solimoes
- 5. 亞麻Flax (Linum usitatissimum Linn. 亞麻科 Linaceae)
 - (1) Taichung Sel. No. 1 (臺中選1號)
 - (2) C.I. 1799
- 6. 苧麻 Ramie (Boehmeria nivea. L. Gaud., 蕁麻科 Urticaceae)
 - (1) Nanhua Green Skin (南化青皮)
 - (2) Kawaminami No. 2 (川南2號)
 - (3) Green Slender (細莖靑心)

- 7. 瓊麻 Sisal (Agave sisalana per-rine 石蒜科 Amaryllidaceae)
 - (1) Agave sisalana (綠葉種)

VI. 綠肥作物Green Manure Crops(荳科 Leguminosae)

- (1) Astragalus (Astragalus sinicus L.) (紫雲英)
- (2) Sesbania (Sesbania roxburghii merr) (田菁)
- (3) (Crotalaria anagyroides) (苦勞豆)
- (4) Hairy indigo (Indigofera hirsuta) (毛藍)
- (5) Yellow lupine(Lupinus luteus) (黃花羽扇豆)
- (6) Mountain flat bean (Cassia mimosoides) (山扁豆)
- (7) Coffee senna (Cassia occidentalis) (羊角豆)
- (8) (Cassia leschenaultiana) (大叶山扁豆)
- (9) Intortum clover (Desmodium intortum) (營多藤)
- (10) Miyakozima dzurumame (Glycine koidzumii ohwi)(琉球大豆)
- (11) (Tephroseia hooceriana) (鐵富豆)

WI. 牧草 Forage Crops

- 1. 禾本科 Gramineae
 - (1) Crabgrass (Digitaria spp.) (指草屬草)
 - (2) Setaria spp. (粟屬草)
 - (3) Cynodon spp. (鐵絲草屬草)

- (4) Paspalum spp. (雀稗屬草)
- 2. 荳科 Leguminosae
 - (1) Desmodium spp. (節莢豆)
 - (2) Kutzu (Pueraria spp.) (葛藤)
 - (3) Centrosema (Centrosema pubescens) (山珠豆)
 - (4) Brazilian lucernne (Stylosanthes gracilis) (泰樂豆)
 - (5) White popinac (Leucaena glauca) (銀合歡)
 - (6) Glycine javanica L. (爪哇大豆;野生大豆)
 - (7) Siratro (Phaseolus atropurpureus) (賽獨豆)
 - (8) Vetch (Vicia dasycarpa) (苕子)
 - (9) Intortum clover (Desmodium intortum Urb.) (營多藤)
 - (10) Glycine koidzumii ohwi (琉球大豆)
 - Sunn hemp (Crotalana juncea
 L.) (太陽麻)
 - (1) Selecao-SPF/59

WII. 蔬菜 Vegetables

- 1. 白菜Pai-tsai (Brassica chinensis L., 十字花科 Cruciferae)
 - (1) Fengshan Pai-tsai (鳳山白菜)
 - (2) Green Petiole (青梗白菜)
 - (3) Golden Pai-tsai (黃金白菜)
 - (4) Horse Ear White Petiole (馬耳白菜)

- 2. 油菜 Edible Rape (Brassica chinensis L. var. oleifera Tsen et Lee)
 - (1) 40-Day Edible Rape (四十天油菜心)
- た(2) 60-Day Edible Rape (六十天油菜心)
 - (3) 80-Day Edible Rape (八十天油菜心)
- 3. 結球白菜 Chinese Cabbage (Brassica pekinensis, Rupr.)
 - (1) Changpuh Extra Early (漳浦極早生)
 - (2) Changpuh Early (漳浦早生)
 - (3) Changpuh Medium (漳浦中生)
 - (4) Changpuh Late (漳浦晚生)
 - (5) Tienching Pai-tsai (天津白菜)
 - (6) Huangching Pai-tsai (皇京白菜)
- 4. 甘藍Cabbage (Brassica oleracea L. var. capitata L.)
 - (1) Chihu (溪湖)
 - (2) Taiwan Yehshen Early (臺灣葉深早生)
- 5. 花椰菜 Cauliflower (Brassica oleracea L. var. botrytis L.)
 - (1) Fengshan Extra Early (鳳山極早生)
 - (2) Fengshan Early (鳳山早生)
 - (3) Fengshan Medium (鳳山中生)
 - (4) Fengshan Late (鳳山晚生)

- (5) Tainung No. 1 (臺農1號)
- (6) 55-Day Early (55日早生)
- 6. 球莖甘藍 Kohlrabi (Brassica oleracea L. var. caulorapa, L. Pasq.)
 - (1) Kinmen Early (金門早生)
 - (2) Peiping Late (北平晚生)
- 7. 芥藍 Chinese Kale (Brassica alboglabra, Bailey)
 - (1) White Flower & Point Leaf (白花尖葉)
 - (2) Yellow Flower (黃花)
- 8. 芥菜 Mustard (Brassica juncea Cosson)
 - (1) Big Stem (大心菜)
 - (2) Chicken Heart (雞心蕾芥菜)
 - (3) Red In Snow (雪裡紅)
 - (4) Juchia (肉甲)
 - (5) Szechuan Chatsai (四川榨菜)
- 9. 青花菜 Broccoli (Brassica oleracea L. var. italica Plenck)
- 10. 蘿蔔Radish (Raphanus sativus. L.)
 - (1) Nanbanchow 60-Day (六十天南畔州)
 - (2) Ta-pai-chi (大白杙)

- (3) Ta-may-hua · (大梅花)
- (4) Kan-tzu (石千仔)
- (5) Minowase (業濃早生)
- (6) Green Skin (青皮)
- (7) Red Skin (紅皮)
- 11. 多瓜 Wax Gourd (Benincasa hispida Cogn. 葫蘆科Cucurbitaceae)
- 12. 西瓜 Watermelon (Citrullus vulgaris, Schrad)
 - (1) Fu-kuang Hybrid F₁ (富光一代雜交種)
 - (2) Fu-pao Hybrid F₁ (富寶一代雜交種)
 - (3) Fengshan No. 1 Seedless (鳳山無子一號)
 - (4) Fengshan No. 5 Seedless (鳳山無子五號)
 - (5) Sugar Baby (蜜寶)
 - (6) Crimson-bride (紅娘)
 - (7) Sun-glow (紅雲)
 - (8) Formosa No. 1· (寶島一號)
- 13. 甜瓜 Melon (Cucumis melo L.)
 - (1) Chekiang Beauty (西施)
 - (2) Sinkiong Beauty (香妃)
 - (3) Nung-yu No. 1 (農友一號)

- (4) Nung-yu No. 2 (農友二號)
- (5) Tainan No. 1 (臺南一號)
- (6) Tainan No. 2 (臺南二號)。
- (7) Taichung No. 1 (臺中一號)
- (8) Yellow Fragrance (黃香瓜)
- 14. 胡瓜Cucumber (Cucumis sativus L.)
 - (1) Taipei No. 7 (臺北7號)
 - (2) Fengyuan Green Skin (豐原靑皮)
 - (3) Green Skin Improved (改良靑皮)
 - (4) Taipei Hybrid No. 2 (臺北雜交二號)
- 15. 南瓜 Pumpkin (Cucurbita maxima Duchesne)
 - (1) Papaya Type (木瓜型)
 - (2) Zimugua (新木瓜型)
- 16. 扁蒲 Calabash Gourd (Lagevaria leucautha Rusby)
 - (1) Cow's Leg (牛腿瓠)
- 17. 絲瓜 Rag Gourd (Luffa cylindrica Roem.)
 - (1) Cylinder Type (竹簡)
 - (2) Mi-kuan (米管)
- 18. 苦瓜 Balsam Pear (Momordica charantia L.)

- (1) Green Skin (青皮)
- (2) Large Fruit (大果)
- 19. 越瓜Oriental Pickling Melon , (Cucumis Melon L. var. Conomon Makino)
- 20. 四季豆 Kidney Bean (Phaseolus vulgaris L.荳科 Leguminosae)
 - (1) Black Seeded Creaseback (黑仁衣笠)
 - (2) Green Pod (綠莢)
 - (3) Strip Seeded (花麗豆)
 - (4) Taipei No. 2 (臺北二號)
 - (5) Tender Pod (軟莢)
 - (6) White Seeded Creaseback (衣等白仁)
- 21. 豌豆 Pea (Pisum sativum L.)
 - (1) Taichung No. 3 (臺中三號)
 - (2) Taichung No. 9 (臺中九號)
 - (3) Whiter Flowered & Tender Pod (白花軟莢)
- 22. 豇豆 Asparagus Bean (Vigna sesquipedalis Fruwirth)
- 23. 蠶豆Broad Bean (Vicia Faba L.)
 - (1) Kuopanchin (殼板青)
 - (2) Hsinchu No. 2 (新竹二號)
- 24. 蕃茄Tomato(Lycopersicum esculentum, Mill 茄科 Solanaceae)
 - (1) Fengshan No. 51 (鳳山51型)

- (2) Persimmon Type (柿仔型)
- (3) Chuyu (珠玉)
- (4) TSS No. 158 (種苗158)
- (5) TSS No. 160 (種苗160)
- 25. 甜椒 Sweet Pepper (Capsicum annum, L. var. grossum Bailey)
 - (1) Ruby King (路畔金)
 - (2) California Wonder (加州王)
- 26. 茄子 Eggplant (Solanum melongena L.)
 - (1) Fengyuan Purple (豐原紫)
 - (2) Pingtung Long Red (屏東長紅茄)
- 27. 蕃椒 Red Pepper (Capisum annuum L.)
- 28. 韮菜 Chinese Leek (Allium odorum L.石蒜科 Amaryllidaceae)
 - (1) Big Leaf (大菜)
 - (2) Flower Leek (年花)
 - (3) Small Leaf (小葉)
- 29. 大蒜 Garlic (Allium sativum L.)
 - (1) Hard Stem (硬骨)
 - (2) Soft Stem (軟骨)
- 30. 洋葱 Onion (Allium cepa. L.)

- (1) San Joaquin Yellow Globe (聖玉)
- 31. 葱 Welsh Onion (Allium fistulosum L.)
 - (1) Shallot (分葱)
 - (2) Nine Stocks (九條藜)
 - (3) Pei Chung (北葱)
- 32. 莧菜 Edible amaranth (Amaranthus mangostanus L. 莧科 Amaranthaceae)
 - (1) Red Leaf
 - '(紅莧)
 - (2) Tiger-shaped Leaf (虎莧)
 - (3) White Leaf (白莧)
- 33. 菠菜Spinach (Spinacia oleracea L. 藜科 Chenopodiaceae)
 - (1) Angle Seeded (角子)
 - (2) Round Seeded (圓子)
- 34. 茼蒿 Garland Chrysanthemum (Chrysanthemum coronarium L. 菊科 Compositae)
 - (1) Tiger Ear (虎耳)
- 35. 萵苣Lettuce (Lactuca sativa L.)

- (1) Celtuce (嫩莖萵苣)
- (2) Native (本地種)
- 36. 甕菜 Water Convolvulus (Ipo-moea aquatica Frosk 旋花科Con-volvulaceae)
 - (1) Big Leaf (大葉)
 - (2) Small Leaf (小葉)
- 37. 落葵 Malabar Night Shade (Basella alloa L. 落葵科 Basellacceae)
- 38. 巴西莧菜 Purslane (Portulaca oleracea L. 馬齒莧科 Portulaca-ceae)
- XI. 飲料作物 Stimulants
 - 咖啡 Coffee (Coffee arabica L. 茜草科Rubiaceae)
- X. 蘭科植物 Flowers
 - (1) 白花蝴蝶蘭 (Phalaenopsis amabilis Blume var. formosana)
 - (2) 一葉蘭 (Pleione) P. formosana, Hayata
 - (3) 鶴頂蘭(Phaius) P. grandibolius, Lour.
 - (4) 豹紋蘭 (Sarcanthus)
 - (5) 金線蘭 (Anoectochilus)
 - (6) 斑葉蘭 (Goodyera)
 - (7) 東洋蘭 (Cymbidium)
 - (8) 愛爾亞 (Eria)

I. A.					(22)	(23)	(24)
1.	(1)	(2)	(3)		(25)	(26)	(27)
	(4)	(5)	(6)		(28)	(29)	(30)
	(7)	(8)	(9)		(31)	(32)	(33)
	(10)	(11)	(12)		(34)	(35)	(36)
	(13)	(14)	(15)		(37)	(38)	(39)
	(16)	(17)	(18)		(40)	(41)	(42)
	(19)	(20)	(21)		(43)	(44)	(45)
	(22)	(23)	(24)		(46)	(47)	(48)
	(25)	(26)	(27)		(49)	(50)	(51)
	(28)	(29)	(30)		(52)	(53)	(54)
	(31)	(32)	(33)		(55)	(56)	(57)
	(34)	(35)	(36)		(58)	(59)	(60)
	(37)	(38)	(39)		(61)	(62)	(63)
	(40)	(41)	(42)	I.B.			
	(43)	(44)	(45)	1.	(1)	(2)	(3)
	(46)	/₄➡	(48)		(4)	(5)	(6)
	(49)	(50)	(51)		(7)	(8)	(9)
	(52)	(50)	(E A)		(10)	(11)	
	(55)	(=0)	(57)	2.	(1)	(2)	(3)
	(58)	(#A)	(60)	и.			
	(61)	_		1.	(1)	(2)	(3)
2.			(3)		(4)	_ (5)	(6)
	(4)			2.	(1)		
	(7)				(1)	(2)	(3)
	(10)				(4)	_ (5)	(6)
	(13)				(7)	(8)	(9)
	(16)				(10)		(12)
	(19)				(13)		

		(16)	(17)	(18)			(13)	(14)	(15)
		(19)	(20)	(21)		3.	(1)	(2)	(3)
		(22)	(23)	(24)			(4)		
		(25)	(26)	(27)		4.	(1)	(2)	(3)
		(28)	(29)	(30)	V.	1.	(1)	(2)	(3)
		(31)	(32)	(33)			(4)	(5)	(6)
		(34)	(35)	(36)		2.	(1)	(2)	(3)
	4.	(1)	(2)	(3)		3.			
	5.	(1)	(2)	(3)		4.	(1)	(2)	(3)
		(4)	(5)	(6)			(4)	(2)	(8)
		(7)					(7)		
	6.					5.	(1)	(2)	
Ⅲ.		(1)	(2)	(3)		6.	(1)	(2)	(3)
		(4)	(5)	(6)		7.	(1)		
		(7)	(8)	(9)	VI.		(1)	(2)	(3)
		(10)	(11)	(12)			(4)	(5)	(6)
	,	(13)	(14)	(15)			(7)	(8)	(9)
		(16)	(17)	(18)			(10)	(11)	
		(19)	(20)	(21)	VII.	1.	(1)	(2)	(3)
		(22)	(23)	(24)			(4)		
IV.	1.	(1)	(2)	(3)		2.	(1)	(2)	(3)
		(4)	(5)	(6)			(4)	(5)	(6)
		(7)	(8)	(9)			(7)	(8)	(9)
		. (10)	(11)	(12)			(10)	(11)	
		(13)	(14)		WII.	1.	(1)	(2)	(3)
	2.	(1)	(2)	(3)			(4)		
		(4)	(5)	(6)		2.	(1)	(2)	(3)
		(7)	(8)	(9)		3.	(1)	(2)	(3)
		(10)	(11)	(12)			(4)	(5)	(6)

4. (1)	(2)		20. (1)	(2)	(3)
5. (1)	(2)	(3)	(4)	(5)	(6)
(4)	(5)	(6)	21. (1)	(2)	(3)
6. (1)	(2)		22.		
7. (1)	(2)		23. (1)	(2)	=
8. (1)	(2)	(3)	24. (1)	(2)	(3)
(4)	(5)		(4)	(5)	
9.			25. (1)	(2)	<u>-</u>
10. (1)	(2)	(3)	26. (1)	(2)	_
(4)	(5)	(6)	27.		
(7)	-		28. (1)	(2)	_ (3)
11.			29. (1)	(2)	_
12. (1)	(2)	(3)	30. (1)		
(4)	(5)	(6)	31. (1)	(2)	(3)
(7)	(8)		32. (1)	(2)	(3)
13. (1)	(2)	(3)	33. (1)	(2)	
(4)	(5)	(6)	34. (1)		
(7)	(8)		35. (1)	(2)	_
14. (1)	(2)	(3)	36. (1)	(2)	
(4)			37.		
15. (1)	(2)		38.		
16. (1)	-		IX. 1.		
17. (1)	(2)		X. (1)	(2)	(3)
18. (1)	(2)		(4)	(5)	_ (6)
19.	_		(7)	(8)	_

